

DECLARATION OF ASSURANCE FOR HAZARDOUS SUBSTANCE USE IN DEPARTMENT OF AGRICULTURE EXPORT REGISTERED ESTABLISHMENTS

Vendor name: Wurth Australia Pty. Ltd.

Vendor Address: 2/1 Healey Road, Dandenong South, Vic.3175

Vendor telephone Number: 1300 657 765

Manufacturer of Hazardous Substance: Wurth Group

Name of Hazardous Substance: Multiclean


Category of Use: Cleaning Compounds.

Intended Use: Residue-free cleaning and degreasing during assembly and maintenance work on machines and tools in critical areas of the food industries.

We, Wurth Australia, the vendor of the above hazardous substance declare the above hazardous substance is suitable for use in export registered meat or meat product establishments for the purposes stated in this application, that I have supplied a copy of the label and MSDS or SDS with this declaration and acknowledge that this declaration is subject to the following conditions:

This declaration is rendered invalid by:

1. Any change in the formulation of the following hazardous substance
2. Any change in the instructions for use in the following hazardous substance
3. Any incorrect and/or unintended use of the following hazardous substance.

Signature of vendor .....  ..... Date 13/7/15

Declaration of qualified chemist

The hazardous substance identified above, when used in accordance with the directions on the label:

- is fit for the purpose for which they are to be used
- will not contaminate animals, meat and meat products

Printed name of qualified chemist: Christiane Krabbes

Qualifications of qualified chemist: Sr. Manager Chemical Compliance

Signature of qualified chemist:  ..... Date 07/02/2015

## MULTICLEAN



**Fluid for cleaning and temporary lubrication in physiologically and ecologically sensitive areas.**

**Can be used in areas in which food is processed or stored.**

**NSF H1<sup>1</sup>.**

In this context, the product may come into contact with foodstuffs for technical reasons.

Good cleaning and degreasing performance.

- Removes oils, resin encrustations and silicone residues.

Suitable for use in physiologically and ecologically sensitive areas.

- Safe working.

Good material compatibility.

Acetone-free

AOX and silicone-free.

<sup>1</sup> NSF = Internationally recognised organisation for the supervision and registration of products used in the food sector.

<sup>2</sup> VbF = Ordinance concerning Combustible Liquids (no longer valid as from 01.01.2004), has been replaced by the BetrSichV [Operational Safety Ordinance] (valid as from 03.10.2002)

Contents in ml	Art No.	Pack Qty.
400	<b>0890 109 6</b>	1/12

Technical Data	
Chemical Basis	Aliphatic hydrocarbons
Colour	Colourless
Density at 20°C (active substance)	0.77g/cm <sup>2</sup>
Flash point	40°C

### Applications:

For residue-free cleaning and degreasing during assembly and maintenance work on machines, aggregates and tools in critical areas of the printing and paper industries as well as for applications in which the use of easily and highly flammable cleaners is not desired.

Spray from a distance of approx. 20 cm on to the parts that are to be cleaned and allow to dry.

If used in areas in which food is processed or stored, only the technically necessary minimum quantity may be used.



NSF H1, K1 registered (No: 135926), corresponds to the requirements of USDA 1998 H1.

This information is only a recommendation based on our experience. Preliminary testing required.

---

## SAFETY DATA SHEET

### MULTICLEAN 400ML

Version 1.1

Revision Date 12.12.2012

Print Date 03.05.2014

AU / EN

---

#### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

##### Product information

Commercial Product Name : MULTICLEAN 400ML

Product code : 0890 109 6  
MSDS-Identcode : 10033954  
Product Use Description : Cleaning agent  
Company : Wurth Australia Pty Ltd  
2/1 Healey Road  
Dandenong South, Victoria, 3175  
Australia

Telephone : +61 3 8788 1111  
Responsible/issuing person : prodsafe@wuerth.com  
Emergency telephone : 1300 657 765  
number : Advisory office in case of poisoning - National Poisons Centre:  
131 126

---

#### 2. HAZARDS IDENTIFICATION

DANGEROUS GOODS. HAZARDOUS SUBSTANCE.  
Dangerous goods classification according to the Australia Dangerous Goods Code.  
Classified as hazardous according to the criteria of NOHSC.

Standard for the Uniform : No poison schedule number allocated  
Scheduling of Medicines and  
Poisons

##### R-phrases(s)

Extremely flammable.  
Repeated exposure may cause skin dryness or cracking.

##### S-phrases(s)

Do not breathe spray, vapour.  
Avoid contact with skin.  
This material and its container must be disposed of in a safe way.  
Use only in well-ventilated areas.

---

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

##### Hazardous components

---

**SAFETY DATA SHEET****MULTICLEAN 400ML**

Version 1.1

Revision Date 12.12.2012

Print Date 03.05.2014

AU / EN

---

Chemical Name	CAS-No.	Concentration
low boiling point hydrogen treated naphtha	64742-48-9	$\geq 95 - \leq 100\%$
Carbon dioxide	124-38-9	$\geq 3 - < 5\%$

---

**4. FIRST AID MEASURES**

- General advice : If you feel unwell, seek medical advice (show the label where possible).  
First aider needs to protect himself.  
Move out of dangerous area.  
Never give anything by mouth to an unconscious person.  
Take off contaminated clothing and shoes immediately.
- If inhaled : If breathed in, move person into fresh air.  
In the case of inhalation of aerosol/mist consult a physician if necessary.  
Keep patient warm and at rest.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Do NOT use solvents or thinners.  
If skin irritation persists, call a physician.
- In case of eye contact : Protect unharmed eye.  
If easy to do, remove contact lens, if worn.  
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- If swallowed : If swallowed, seek medical advice immediately and show this container or label.  
If swallowed, DO NOT induce vomiting.  
If a person vomits when lying on his back, place him in the recovery position.

---

**5. FIREFIGHTING MEASURES**

- Suitable extinguishing media : Foam  
Dry powder  
Carbon dioxide (CO<sub>2</sub>)  
Water mist

---

**SAFETY DATA SHEET****MULTICLEAN 400ML**

Version 1.1

Revision Date 12.12.2012

Print Date 03.05.2014

AU / EN

---

- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Do not use a solid water stream as it may scatter and spread fire.  
Hazardous decomposition products may be formed under fire conditions (see section 10).  
Exposure to decomposition products may be a hazard to health.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.
- Further information : Standard procedure for chemical fires.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
In the event of fire and/or explosion do not breathe fumes.  
Use water spray to cool unopened containers.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.  
Pay attention to flashback.  
If the temperature rises there is danger of the vessels bursting due to the high vapor pressure.

---

**6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions : Refer to protective measures listed in sections 7 and 8.  
Use personal protective equipment.  
Remove all sources of ignition.  
Avoid contact with skin and eyes.  
Ensure adequate ventilation, especially in confined areas.  
Immediately evacuate personnel to safe areas.  
Avoid inhalation of vapour or mist.  
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
- Environmental precautions : Do not flush into surface water or sanitary sewer system.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods for cleaning up : Clean contaminated surface thoroughly.  
Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national

---

**SAFETY DATA SHEET****MULTICLEAN 400ML**

Version 1.1

Revision Date 12.12.2012

Print Date 03.05.2014

AU / EN

---

regulations.

---

**7. HANDLING AND STORAGE****Handling**

- Advice on safe handling : Limit the stocks at work place.  
Use only in well-ventilated areas.  
Do not breathe vapours or spray mist.  
Avoid contact with skin and eyes.  
Do not spray on a naked flame or any incandescent material.  
Prevent the creation of flammable or explosive concentrations of vapour in air and avoid vapour concentration higher than the occupational exposure limits.  
Take precautionary measures against static discharges.  
For personal protection see section 8.
- Advice on protection against fire and explosion : Normal measures for preventive fire protection.  
Vapours are heavier than air and may spread along floors.  
Vapours may form explosive mixtures with air.  
Keep away from heat and sources of ignition.  
Do not smoke.  
No sparking tools should be used.  
Electrical equipment should be protected to the appropriate standard.
- Dust explosion class : not applicable

**Storage**

- Requirements for storage areas and containers : Store in original container.  
BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects.  
Keep containers tightly closed in a dry, cool and well-ventilated place.  
Please observe the storage instructions for aerosols!
- Further information on storage conditions : AS/NZS 3833 The storage and handling of mixed classes of Dangerous Goods in packages and intermediate bulk containers.
- Advice on common storage : Incompatible with oxidizing agents.
- Materials to avoid : Oxidizing agents

---

**SAFETY DATA SHEET**
**MULTICLEAN 400ML**

Version 1.1

Revision Date 12.12.2012

Print Date 03.05.2014

AU / EN

---

 Other data : No decomposition if stored and applied as directed.
 

---

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**
Components with workplace control parameters

Components	CAS-No.	Value	Control parameters	Update	Basis
Carbon dioxide	124-38-9	STEL	30,000 ppm 54,000 mg/m <sup>3</sup>	1995-05-01	AU OEL
		STEL	30,000 ppm 54,000 mg/m <sup>3</sup>	2005-08-01	AU OEL
Further information	: H: ACGIH is the documentation source				
		TWA	12,500 ppm 22,500 mg/m <sup>3</sup>	1995-05-01	AU OEL
		TWA	5,000 ppm 9,000 mg/m <sup>3</sup>	2005-08-01	AU OEL
Further information	: H: ACGIH is the documentation source				

Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003], as amended through August 2005

Biological occupational exposure limits

no biological limit allocated

**Engineering measures**

Provide sufficient air exchange and/or exhaust in work rooms.

**Personal protective equipment**

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.  
Respirator with combination filter for vapour/particulate (EN

---

**SAFETY DATA SHEET****MULTICLEAN 400ML**

Version 1.1

Revision Date 12.12.2012

Print Date 03.05.2014

AU / EN

---

141).

Hand protection	: Nitrile rubber Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer.
Eye protection	: In case of splash hazard, please wear protective goggles.
Skin and body protection	: Flame retardant antistatic protective clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. General industrial hygiene practice. Do not inhale aerosol. Avoid contact with skin, eyes and clothing. When using do not eat, drink or smoke. Wash hands before breaks and at the end of workday. Follow the skin protection plan. Wash contaminated clothing before re-use.

---

**9. PHYSICAL AND CHEMICAL PROPERTIES****Appearance**

Form	: aerosol
Colour	: colourless
Odour	: characteristic
Odour Threshold	: no data available

**Safety data**

Flash point	: no data available
Lower explosion limit	: 0 %(V)
Upper explosion limit	: 7 %(V)
Flammability	: no data available
Auto-ignition temperature	: no data available



---

**SAFETY DATA SHEET****MULTICLEAN 400ML**

Version 1.1

Revision Date 12.12.2012

Print Date 03.05.2014

AU / EN

---

pH	: no data available
Melting point/range	: no data available
Boiling point/boiling range	: no data available
Vapour pressure	: 4,000 hPa at 20 °C
Density	: no data available
Water solubility	: insoluble
Partition coefficient: n- octanol/water	: no data available
Solubility in other solvents	: no data available
Viscosity, dynamic	: no data available
Viscosity, kinematic	: no data available
Relative vapor density	: no data available
Evaporation rate	: no data available
Thermal decomposition	: no data available

---

**10. STABILITY AND REACTIVITY**

Conditions to avoid	: Heat, flames and sparks.
Materials to avoid	: Oxidizing agents
Hazardous decomposition products	: Carbon oxides nitrogen oxides (NO <sub>x</sub> )  Build-up of dangerous/toxic fumes possible in cases of fire/high temperature.
Hazardous reactions	: Vapours may form explosive mixtures with air. If the temperature rises there is danger of the vessels bursting due to the high vapor pressure.
Stability	: No decomposition if stored and applied as directed.

---

**11. TOXICOLOGICAL INFORMATION****Acute toxicity**

Acute oral toxicity	: no data available
---------------------	---------------------

---

---

**SAFETY DATA SHEET****MULTICLEAN 400ML**

Version 1.1

Revision Date 12.12.2012

Print Date 03.05.2014

AU / EN

---

**Acute oral toxicity (Components)**

low boiling point hydrogen : LD50: > 15,000 mg/kg  
treated naphtha Species: rat

**Acute dermal toxicity (Components)**

low boiling point hydrogen : LD50: > 3,160 mg/kg  
treated naphtha Species: rabbit

**Skin corrosion/irritation**

Skin irritation : Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product.

**Serious eye damage/eye irritation**

Eye irritation : May irritate eyes.

**Respiratory or skin sensitization**

Sensitisation : no data available

**Chronic toxicity**

Mutagenicity : no data available  
Carcinogenicity : no data available  
Teratogenicity : no data available  
Reproductive toxicity : no data available

**Specific target organ toxicity - single exposure**

no data available

**Specific target organ toxicity - repeated exposure**

no data available

Aspiration toxicity : no data available

**Further information**

low boiling point hydrogen : Aspiration hazard if swallowed - can enter lungs and cause  
treated naphtha damage.

---

**12. ECOLOGICAL INFORMATION****Elimination information (persistence and degradability)**

Bioaccumulation : no data available  
Biodegradability : no data available

---

**SAFETY DATA SHEET****MULTICLEAN 400ML**

Version 1.1

Revision Date 12.12.2012

Print Date 03.05.2014

AU / EN

---

Mobility in soil : no data available

**Further information on ecology**

Adsorbed organic bound halogens (AOX) : not included

Results of PBT assessment : no data available

Additional ecological information : The product should not be allowed to enter drains, water courses or the soil.

---

**13. DISPOSAL CONSIDERATIONS**

Product : In accordance with local and national regulations., This material and its container must be disposed of as hazardous waste.

Disposal of contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Do not burn, or use a cutting torch on, the empty drum.  
Please ensure aerosol cans are sprayed completely empty (including propellant)  
Containers that have not been emptied in compliance with regulations are regarded as hazardous waste.  
Dispose of as unused product.

---

**14. TRANSPORT INFORMATION****ADG**UN number : 1950  
Description of the goods : AEROSOLS  
Class : 2.1  
Labels : 2.1  
Hazchem Code : 2YE  
Environmentally hazardous : no

---

**SAFETY DATA SHEET****MULTICLEAN 400ML**

Version 1.1

Revision Date 12.12.2012

Print Date 03.05.2014

AU / EN

---

**IATA**

UN number : 1950  
Description of the goods : Aerosols, flammable  
Class : 2.1  
Labels : 2.1  
Packing instruction (cargo aircraft) : 203  
Packing instruction (passenger aircraft) : 203  
Packing instruction (passenger aircraft) : Y203  
Environmentally hazardous : no

**IMDG**

UN number : 1950  
Description of the goods : AEROSOLS  
  
Class : 2.1  
Packing group : --  
Labels : 2.1  
EmSNumber 1 : F-D  
EmS Number 2 : S-U  
  
Marine Pollutant : no

---

**15. REGULATORY INFORMATION**Labelling according to EC Directives**1999/45/EC**

R-phrases)	: R12 R66	Extremely flammable. Repeated exposure may cause skin dryness or cracking.
S-phrases(s)	: S23 S24 S35 S51	Do not breathe spray, vapour. Avoid contact with skin. This material and its container must be disposed of in a safe way. Use only in well-ventilated areas.
Special labelling of certain mixtures	: Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50 °C. Keep away from sources of ignition - No smoking.	

---

**SAFETY DATA SHEET****MULTICLEAN 400ML**

Version 1.1

Revision Date 12.12.2012

Print Date 03.05.2014

AU / EN

---

Keep out of the reach of children.  
Do not pierce or burn, even after use.  
Do not spray on a naked flame or any incandescent material.

**National regulatory information**

For detailed advice on Personal Protective equipment, refer to the following Australian Standards :- HB 9 (Handbook 9) Manual of industrial personal protection.  
AS/NZS 1337 Eye protectors for industrial applications.  
AS/NZS 1715 Selection, use and maintenance of respiratory protective devices.  
AS/NZS 1716 Respiratory protective devices.  
AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.  
AS/NZS 2919: Industrial clothing.

**Hazard category**

Extremely flammable

National Code of Practice for the Preparation of Material Safety Data Sheets [NOHSC:2011]

List of Designated Hazardous Substances [NOHSC].

Approved Criteria for Classifying Hazardous Substances [NOHSC:1008].

Amendment to National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC](2005)

Australian Dangerous Goods Code.

Standard Uniform Scheduling of Drugs and Poisons.

**Notification status**

AICS : On the inventory, or in compliance with the inventory

---

**16. OTHER INFORMATION**Full text of R-phrases referred to under sections 2 and 3

R12 Extremely flammable.  
R66 Repeated exposure may cause skin dryness or cracking.

**Further information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a

---

**SAFETY DATA SHEET****MULTICLEAN 400ML**

Version 1.1

Revision Date 12.12.2012

Print Date 03.05.2014

AU / EN

---

warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet