

DECLARATION OF ASSURANCE FOR HAZARDOUS SUBSTANCE USE IN DEPARTMENT OF AGRICULTURE EXPORT REGISTERED ESTABLISHMENTS

Vendor name: Wurth Australia Pty. Ltd.

Vendor Address: 2/1 Healey Road, Dandenong South, Vic.3175

Vendor telephone Number: 1300 657 765

Manufacturer of Hazardous Substance: Wurth Group

Name of Hazardous Substance: Foodstuffs HHS

Category of Use: Lubricants for use in areas where incidental or no contact with edible product may occur.

Intended Use: Suited for universal lubrication at high pressure loads, e.g. for chains, racks, joints, levers, bearings, sliding points, cables, open drives, and hinges in the food industry.

We, Wurth Australia, the vendor of the above hazardous substance declare the above hazardous substance is suitable for use in export registered meat or meat product establishments for the purposes stated in this application, that I have supplied a copy of the label and MSDS or SDS with this declaration and acknowledge that this declaration is subject to the following conditions:

This declaration is rendered invalid by:

1. Any change in the formulation of the following hazardous substance
2. Any change in the instructions for use in the following hazardous substance
3. Any incorrect and/or unintended use of the following hazardous substance.

Signature of vendor  Date. 13/7/15


Declaration of qualified chemist

The hazardous substance identified above, when used in accordance with the directions on the label:

- is fit for the purpose for which they are to be used
- will not contaminate animals, meat and meat products

Printed name of qualified chemist: Christiane Krabbes

Qualifications of qualified chemist: Sr. Manager Chemical Compliance

Signature of qualified chemist:  Date. 07/02/2015

FOODSTUFF HHS



Description	Contents in ml	Art. No.	Pack Qty.
Foodstuffs HHS	500	0893 107 6	1/12

Areas of application:

Suited for universal lubrication at high pressure loads, e.g. for chains, racks, joints, levers, bearings, sliding points, cables, open drives, and hinges.

Use:

Clean the lubricating point and then apply where required. If used in areas in which food is processed or stored, only the technically necessary minimum quantity should be used.

Technical data	
Chemical Basis	Synthetic oil with multi-functional additive combination
Colour	Colourless
Viscosity (after the evaporation of the solvent at 40°C)	1251 cSt
Base oil viscosity at 40°C	32 mm ² /s
Temperature Range	-25°C to 180°C
Flash Point	200°C

Watertight, synthetic adhesive lubricant with creeping action.

NSF H1¹ registered

¹ In this context, the product may come into incidental contact with food for technical reasons.

Very good creeping action.

- Lubrication of hard-to-reach areas.
- Penetration of very tight spaces and tolerances.

Good adhesive properties.

- Wide range of applications, e.g. on vertical lubricating points.
- Resistant to centrifugal forces on turning and rotating parts.

Provides long-lasting protection against corrosion, especially of non-ferrous metals.

Water resistant.

Resin and acid-free.

Silicone and AOX-free.

¹ NSF International Corporation Michigan = Internationally recognized organization for the supervision and registration of products used in the food sector.



NSF H1 registered (No.: 140816), corresponds to the requirements of H1, 1998.



HACCP FZS Certified: PE-715-WA-01.

SAFETY DATA SHEET

FOODSTUFFS HHS

Version 2.1

Revision Date 14.08.2014

Print Date 16.08.2014

AU / EN

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product information

Commercial Product Name : FOODSTUFFS HHS

Product code : 0893 107 6

SDS-Identcode : 10033491

Product Use Description : Anti-friction agent and lubricant, NSF Registered Product

Company : Wurth Australia Pty Ltd
2/1 Healey Road
Dandenong South, Victoria, 3175
Australia

Telephone : +61 3 8788 1111

Responsible/issuing person : prodsafe@wuerth.com

Emergency telephone number : 1300 657 765
Advisory office in case of poisoning - National Poisons Centre:
131 126

2. HAZARDS IDENTIFICATION

DANGEROUS GOODS. HAZARDOUS SUBSTANCE.
Dangerous goods classification according to the Australia Dangerous Goods Code.
Classified as hazardous according to the criteria of NOHSC.

Standard for the Uniform Scheduling of Medicines and Poisons : No poison schedule number allocated

R-phrases

Extremely flammable.
Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Vapours may cause drowsiness and dizziness.

S-phrases

Do not breathe spray.
Take precautionary measures against static discharges.
In case of fire, use sand, dry chemical or alcohol-resistant foam.
This material and its container must be disposed of as hazardous waste.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : Mixture

SAFETY DATA SHEET**FOODSTUFFS HHS**

Version 2.1

Revision Date 14.08.2014

Print Date 16.08.2014

AU / EN

Hazardous components

Chemical Name	CAS-No.	Concentration
isobutane	75-28-5	>= 25 - < 35%
Hydrocarbons, C7-C9, isoalkanes	64741-66-8	>= 15 - < 20%
propane	74-98-6	>= 3 - < 5%
butane	106-97-8	>= 1 - < 1.5%
Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates	80939-62-4	>= 0.2 - < 0.5%
Butyl hydroxytoluene	128-37-0	>= 0.2 - < 0.5%
White mineral oil (petroleum)	8042-47-5	>= 0.2 - < 0.5%

4. FIRST AID MEASURES

- General advice : If you feel unwell, seek medical advice (show the label where possible).
First aider needs to protect himself.
Move out of dangerous area.
Never give anything by mouth to an unconscious person.
Take off contaminated clothing and shoes immediately.
- If inhaled : If breathed in, move person into fresh air.
In the case of inhalation of aerosol/mist consult a physician if necessary.
Keep patient warm and at rest.
If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Do NOT use solvents or thinners.
If skin irritation persists, call a physician.
Wash off with polyethylene glycol and afterwards with plenty of water.
- In case of eye contact : Protect unharmed eye.
If easy to do, remove contact lens, if worn.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

SAFETY DATA SHEET**FOODSTUFFS HHS**

Version 2.1

Revision Date 14.08.2014

Print Date 16.08.2014

AU / EN

If swallowed : If swallowed, seek medical advice immediately and show this container or label.
If swallowed, DO NOT induce vomiting.
If a person vomits when lying on his back, place him in the recovery position.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Carbon dioxide (CO₂)
Foam
Dry powder

Unsuitable extinguishing media : High volume water jet

Specific hazards during fire-fighting : Do not use a solid water stream as it may scatter and spread fire.
Exposure to decomposition products may be a hazard to health.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Further information : Standard procedure for chemical fires.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
In the event of fire and/or explosion do not breathe fumes.
Use water spray to cool unopened containers.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
If the temperature rises there is danger of the vessels bursting due to the high vapor pressure.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Refer to protective measures listed in sections 7 and 8.
Use personal protective equipment.
Remove all sources of ignition.
Avoid contact with skin and eyes.
Ensure adequate ventilation, especially in confined areas.
Contaminated surfaces will be extremely slippery.
Immediately evacuate personnel to safe areas.

SAFETY DATA SHEET**FOODSTUFFS HHS**

Version 2.1

Revision Date 14.08.2014

Print Date 16.08.2014

AU / EN

Avoid inhalation of vapour or mist.
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Environmental precautions : Do not flush into surface water or sanitary sewer system.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
Avoid release to the environment. Refer to special instructions/ Safety data sheets.

Methods for cleaning up : Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations.
Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE**Handling**

Advice on safe handling : For personal protection see section 8.
Limit the stocks at work place.
Use only in well-ventilated areas.
Do not breathe vapours or spray mist.
Avoid contact with skin and eyes.
Do not spray on a naked flame or any incandescent material.
Prevent the creation of flammable or explosive concentrations of vapour in air and avoid vapour concentration higher than the occupational exposure limits.
Take precautionary measures against static discharges.
Do not carry cloths that have come into contact with the product in your clothing.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.
Vapours are heavier than air and may spread along floors.
Vapours may form explosive mixtures with air.
Keep away from heat and sources of ignition.
Do not smoke.
No sparking tools should be used.
Electrical equipment should be protected to the appropriate standard.

Dust explosion class : Not applicable

SAFETY DATA SHEET
FOODSTUFFS HHS

Version 2.1

Revision Date 14.08.2014

Print Date 16.08.2014

AU / EN

Storage

- Requirements for storage areas and containers : Store in original container.
BEWARE: Aerosol is pressurized. Keep away from heat. Keep away from direct sunlight. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. Keep containers tightly closed in a cool, well-ventilated place. Please observe the storage instructions for aerosols!
- Further information on storage conditions : AS/NZS 3833 The storage and handling of mixed classes of Dangerous Goods in packages and intermediate bulk containers.
- Advice on common storage : Incompatible with oxidizing agents.
- Advice on common storage : Do not store together with oxidizing and self-igniting products.
- Storage temperature : 15 - 50 °C
- Materials to avoid : Oxidizing agents, Avoid contact with other chemicals.
Other data : No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION
Components with workplace control parameters

Components	CAS-No.	Value	Control parameters	Update	Basis
low boiling point modified naphtha	64741-66-8	TWA	900 mg/m ³	2012-05-04	AU OEL
butane	106-97-8	TWA	800 ppm 1,900 mg/m ³	2012-05-04	AU OEL
Butyl hydroxytoluene	128-37-0	TWA	10 mg/m ³	2012-05-04	AU OEL
White mineral oil (petroleum)	8042-47-5	TWA	5 mg/m ³	2013-04-18	AU OEL

Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003], as amended through August 2005

Biological occupational exposure limits

SAFETY DATA SHEET**FOODSTUFFS HHS**

Version 2.1

Revision Date 14.08.2014

Print Date 16.08.2014

AU / EN

no biological limit allocated

Engineering measures

Provide sufficient air exchange and/or exhaust in work rooms.

Personal protective equipment

- Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Respirator with filter type A
- Hand protection : Nitrile rubber
Break through time: \leq 480 min
Glove thickness: 0.45 mm
- : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work.
For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer.
- Eye protection : Tightly fitting safety goggles
- Skin and body protection : Flame retardant antistatic protective clothing.
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.
General industrial hygiene practice.
Do not inhale aerosol.
Avoid contact with skin, eyes and clothing.
When using do not eat, drink or smoke.
Wash hands before breaks and at the end of workday.
Follow the skin protection plan.
Wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES**Appearance**

Form : aerosol

SAFETY DATA SHEET**FOODSTUFFS HHS**

Version 2.1

Revision Date 14.08.2014

Print Date 16.08.2014

AU / EN

Colour	: light brown
Odour	: solvent-like
Odour Threshold	: No data available
Safety data	
Flash point	: No data available
Ignition temperature	: ca. 200 °C
Lower explosion limit	: 1 %(V)
Upper explosion limit	: 11 %(V)
Flammability	: Extremely flammable aerosol.
Auto-ignition temperature	: ca. 200 °C
pH	: Not applicable
Melting point/range	: No data available
Boiling point/boiling range	: 95 - 108 °C Active ingredient
Vapour pressure	: No data available
Density	: 0.816 g/cm ³ at 20 °C Active ingredient
Water solubility	: insoluble
Partition coefficient: n-octanol/water	: No data available
Solubility in other solvents	: No data available
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Relative vapour density	: No data available
Evaporation rate	: No data available
Thermal decomposition	: No data available

10. STABILITY AND REACTIVITY

Conditions to avoid	: Heat, flames and sparks.
Materials to avoid	: Oxidizing agents Avoid contact with other chemicals.

SAFETY DATA SHEET**FOODSTUFFS HHS**

Version 2.1

Revision Date 14.08.2014

Print Date 16.08.2014

AU / EN

- Hazardous decomposition products : Build-up of dangerous/toxic fumes possible in cases of fire/high temperature.
- Hazardous reactions :
Vapours may form explosive mixtures with air.
If the temperature rises there is danger of the vessels bursting due to the high vapor pressure.
- Stability : No decomposition if stored and applied as directed.

11. TOXICOLOGICAL INFORMATION**Acute toxicity**

Acute oral toxicity : No data available

Acute oral toxicity (Components)

Hydrocarbons, C7-C9, isoalkanes : LD50: > 7,100 mg/kg
Species: Rat
Method: OECD Test Guideline 401

Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates : LD50: > 5,000 mg/kg
Species: Rat
Method: OECD Test Guideline 401

Butyl hydroxytoluene : LD50: > 6,000 mg/kg
Species: Rat
Method: OECD Test Guideline 401

Acute inhalation toxicity (Components)

isobutane : LC50: 1,237 mg/l
Species: Mouse

Hydrocarbons, C7-C9, isoalkanes : LC50: > 9.4 mg/l
Exposure time: 4 h
Species: Rat
Method: OECD Test Guideline 403

propane : LC50: 1,237 mg/l
Species: Mouse

SAFETY DATA SHEET**FOODSTUFFS HHS**

Version 2.1

Revision Date 14.08.2014

Print Date 16.08.2014

AU / EN

Acute dermal toxicity (Components)

Hydrocarbons, C7-C9, isoalkanes : LD50: > 2,200 mg/kg
Species: Rabbit

Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates : LD50: > 2,000 mg/kg
Species: Rat
Method: OECD Test Guideline 402

Butyl hydroxytoluene : LD50: > 2,000 mg/kg
Species: Rat
Method: OECD Test Guideline 402

Skin corrosion/irritation

Skin irritation : No data available

Skin irritation (Components)

Hydrocarbons, C7-C9, isoalkanes : Species: Rabbit
Result: Irritating to skin.
Method: OECD Test Guideline 404

Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates : Species: Rabbit
Result: Skin irritation
Method: OECD Test Guideline 404

Butyl hydroxytoluene : Species: Rabbit
Result: No skin irritation
Method: OECD Test Guideline 404

Serious eye damage/eye irritation

Eye irritation : No data available

Eye irritation (Components)

Hydrocarbons, C7-C9, isoalkanes : Species: Rabbit
Result: No eye irritation

Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates : Species: Rabbit
Result: Eye irritation
Method: OECD Test Guideline 405

Butyl hydroxytoluene : Species: Rabbit
Result: No eye irritation
Method: OECD Test Guideline 405

Respiratory or skin sensitisation

Sensitisation : No data available

SAFETY DATA SHEET**FOODSTUFFS HHS**

Version 2.1

Revision Date 14.08.2014

Print Date 16.08.2014

AU / EN

Sensitisation (Components)

Hydrocarbons, C7-C9, isoalkanes : Species: Guinea pig
Result: Does not cause skin sensitisation.
Method: OECD Test Guideline 406

Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates : Maximisation Test (GPMT)
Species: Guinea pig
Result: Does not cause skin sensitisation.
Method: OECD Test Guideline 406

Chronic toxicity

Mutagenicity : No data available

Mutagenicity (Components)
Hydrocarbons, C7-C9, isoalkanes : In vivo tests did not show mutagenic effects
Carcinogenicity : No data available

Carcinogenicity (Components)
Hydrocarbons, C7-C9, isoalkanes : No data available
Teratogenicity : No data available

Teratogenicity (Components)
Hydrocarbons, C7-C9, isoalkanes : Animal testing did not show any effects on foetal development.

Reproductive toxicity : No data available

Reproductive toxicity (Components)
Hydrocarbons, C7-C9, isoalkanes : No toxicity to reproduction

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - single exposure(Components)

Hydrocarbons, C7-C9, isoalkanes : Exposure routes: Inhalation
Target Organs: Central nervous system
May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure

No data available

Aspiration toxicity : No data available

SAFETY DATA SHEET**FOODSTUFFS HHS**

Version 2.1

Revision Date 14.08.2014

Print Date 16.08.2014

AU / EN

Further information

: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.
Vapours may cause drowsiness and dizziness.

12. ECOLOGICAL INFORMATION

Toxicity to fish (Components)

isobutane : LC50: 147.54 mg/l
Exposure time: 96 h

Species: Fish

propane : LC50: 147.54 mg/l
Exposure time: 96 h

Species: Fish

butane : LC50: 24.11 mg/l
Exposure time: 96 h

Species: Fish

Butyl hydroxytoluene : LC50: 0.199 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates (Components)

isobutane : LC50: 46.6 mg/l
Exposure time: 48 h
Species: Daphnia (water flea)

propane : LC50: 69.43 mg/l
Exposure time: 48 h
Species: Daphnia magna (Water flea)

butane : LC50: 14.22 mg/l
Exposure time: 48 h
Species: Daphnia magna (Water flea)

Amines, C11-14-branched : EC50: > 1 mg/l

SAFETY DATA SHEET**FOODSTUFFS HHS**

Version 2.1

Revision Date 14.08.2014

Print Date 16.08.2014

AU / EN

- alkyl, monohexyl and dihexyl phosphates Exposure time: 48 h
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 202
- Butyl hydroxytoluene : EC50: 0.48 mg/l
Exposure time: 48 h
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 202
- NOEC: 0.15 mg/l
Exposure time: 48 h
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 202
- Toxicity to algae (Components)
butane : EC50: 7.71 mg/l
Exposure time: 96 h
Species: Selenastrum capricornutum (green algae)
- Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates : NOEC: 3.2 mg/l
Exposure time: 72 h
Species: Pseudokirchneriella subcapitata (green algae)
Method: OECD Test Guideline 201
- EC50: > 10 mg/l
Exposure time: 72 h
Species: Pseudokirchneriella subcapitata (green algae)
Method: OECD Test Guideline 201
- Butyl hydroxytoluene : EC50: 0.758 mg/l
Exposure time: 96 h
Species: Selenastrum capricornutum (green algae)
- Toxicity to bacteria (Components)
Butyl hydroxytoluene : EC50: 1.7 mg/l
Exposure time: 24 h
- Toxicity to daphnia and other aquatic invertebrates / Chronic toxicity) (Components)
Hydrocarbons, C7-C9, isokanes : NOEC: 0.17 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211

Elimination information (persistence and degradability)

- Bioaccumulation : No data available
Biodegradability : No data available

SAFETY DATA SHEET**FOODSTUFFS HHS**

Version 2.1

Revision Date 14.08.2014

Print Date 16.08.2014

AU / EN

Mobility in soil : No data available

Further information on ecology**Ecotoxicology Assessment**

Acute aquatic toxicity (Components)

Hydrocarbons, C7-C9, isookanes : Toxic to aquatic life.

Chronic aquatic toxicity (Components)

Hydrocarbons, C7-C9, isookanes : Toxic to aquatic life with long lasting effects.

Results of PBT assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Additional ecological information : The product should not be allowed to enter drains, water courses or the soil.

13. DISPOSAL CONSIDERATIONS

Product : In accordance with local and national regulations., This material and its container must be disposed of as hazardous waste.

Disposal of contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not burn, or use a cutting torch on, the empty drum.
Please ensure aerosol cans are sprayed completely empty (including propellant)
Containers that have not been emptied in compliance with regulations are regarded as hazardous waste.
Dispose of as unused product.

14. TRANSPORT INFORMATION**ADG**UN number : 1950
Description of the goods : AEROSOLS
Class : 2.1
Labels : 2.1

SAFETY DATA SHEET**FOODSTUFFS HHS**

Version 2.1

Revision Date 14.08.2014

Print Date 16.08.2014

AU / EN

Hazchem Code : 2YE
Environmentally hazardous : no

**IATA**

UN number : 1950
Description of the goods : Aerosols, flammable
Class : 2.1
Labels : 2.1
Packing instruction (cargo aircraft) : 203
Packing instruction (passenger aircraft) : 203
Packing instruction (passenger aircraft) : Y203
Environmentally hazardous : no

IMDG

UN number : 1950
Description of the goods : AEROSOLS

Class : 2.1
Packing group : --
Labels : 2.1
EmSNumber 1 : F-D
EmS Number 2 : S-U

Marine pollutant : no

15. REGULATORY INFORMATIONLabelling according to EC Directives**1999/45/EC**

R-phrases) : R12 R52/53
Extremely flammable.
Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

SAFETY DATA SHEET**FOODSTUFFS HHS**

Version 2.1

Revision Date 14.08.2014

Print Date 16.08.2014

AU / EN

	R67	Vapours may cause drowsiness and dizziness.
S-phrases(s)	: S23	Do not breathe spray.
	S33	Take precautionary measures against static discharges.
	S43	In case of fire, use sand, dry chemical or alcohol-resistant foam.
	S60	This material and its container must be disposed of as hazardous waste.
Special labelling of certain mixtures	: Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material. Keep away from sources of ignition - No smoking. Keep out of the reach of children.	

National regulatory information

For detailed advice on Personal Protective equipment, refer to the following Australian Standards :- HB 9 (Handbook 9) Manual of industrial personal protection.
AS/NZS 1337 Eye protectors for industrial applications.
AS/NZS 1715 Selection, use and maintenance of respiratory protective devices.
AS/NZS 1716 Respiratory protective devices.
AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.
AS/NZS 2919: Industrial clothing.

Hazard category

Extremely flammable

National Code of Practice for the Preparation of Material Safety Data Sheets [NOHSC:2011]

List of Designated Hazardous Substances [NOHSC].

Approved Criteria for Classifying Hazardous Substances [NOHSC:1008].

Amendment to National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC](2005)

Australian Dangerous Goods Code.

Standard Uniform Scheduling of Drugs and Poisons.

Notification status

AICS : On the inventory, or in compliance with the inventory

SAFETY DATA SHEET**FOODSTUFFS HHS**

Version 2.1

Revision Date 14.08.2014

Print Date 16.08.2014

AU / EN

16. OTHER INFORMATIONFull text of R-phrases referred to under sections 2 and 3

R12	Extremely flammable.
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R67	Vapours may cause drowsiness and dizziness.

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet