

DECLARATION OF ASSURANCE FOR HAZARDOUS SUBSTANCE USE IN DEPARTMENT OF AGRICULTURE EXPORT REGISTERED ESTABLISHMENTS

Vendor name: Wurth Australia Pty. Ltd.

Vendor Address: 2/1 Healey Road, Dandenong South, Vic.3175

Vendor telephone Number: 1300 657 765

Manufacturer of Hazardous Substance: Wurth Group

Name of Hazardous Substance: Stainless Steel Care Oil

Category of Use: Cleaning compounds.

Intended Use: Quick and simple visual treatment of metallic surfaces. Removes light dirt, dust, streaks and greasy finger prints.

We, Wurth Australia, the vendor of the above hazardous substance declare the above hazardous substance is suitable for use in export registered meat or meat product establishments for the purposes stated in this application, that I have supplied a copy of the label and MSDS or SDS with this declaration and acknowledge that this declaration is subject to the following conditions:

This declaration is rendered invalid by:

1. Any change in the formulation of the following hazardous substance
2. Any change in the instructions for use in the following hazardous substance
3. Any incorrect and/or unintended use of the following hazardous substance.

Signature of vendor  Date. 13/7/15

Declaration of qualified chemist

The hazardous substance identified above, when used in accordance with the directions on the label:

- is fit for the purpose for which they are to be used
- will not contaminate animals, meat and meat products

Printed name of qualified chemist: Gregor Bruder

Qualifications of qualified chemist: Ph.D. chemist

Signature of qualified chemist: b.o.  Date 29 / June / 2015

STAINLESS STEEL CARE OIL



HACCP SSZ Certified:
PE-717-WA-01.

Quick and simple visual treatment of metallic surfaces.

Tested by the Fraunhofer Institute of Engineering and Packaging as safe to use in food production facilities as long as the product does not make direct contact with foodstuffs.

Quick and problem-free application.

- Removes light dirt, dust, streaks and greasy finger prints.
- Suitable for daily use.

Care and protection oil.

- Creates a surface with uniform shine.
- Water-repellent protective film prevents renewed accumulation of dirt.

Economical usage.

Cost efficient above all, if the product is used for daily cleaning.

AOX and silicone free.

Instructions for Use:

If necessary, remove coarse dirt with Powerful Stainless Steel Cleaner. Spray a thin coat onto dry surface, wipe off with a soft, dry cloth.

Do not rub dry.

Note:

Do not spray onto hot surfaces and do not use in direct sunlight. These instructions are only recommendations, which are based on our experience. We advise preliminary testing before use.

Description	Contents	Art. No.	Pack Qty.
Stainless Steel Care Oil	400ml	0893 121 0	1

STAINLESS STEEL CARE SPRAY



HACCP SSZ Certified:
PE-717-WA-01.

Cleaning emulsion for metallic surfaces.

Approved by the Bavarian State Department Water Investigative Laboratory as safe to use in food production facilities as long as it doesn't make contact with foodstuffs.

Creamy emulsion with cleaning effect.

- Dirt, polish marks and streaks as well as oily finger prints are removed thoroughly.
- Application on vertical surfaces possible.

AOX and silicone free.

Instructions for Use:

Remove coarse dirt with Powerful Stainless Steel Cleaner. Spray a thin coat onto dry surface, polish with a soft cloth and wipe off thoroughly.

Note:

Do not spray onto hot surfaces and do not use in direct sunlight. These instructions are only recommendations, which are based on our experience. We advise preliminary testing before use.

Description	Contents	Art. No.	Pack Qty.
Stainless Steel Care Spray	400ml	0893 121	1

SAFETY DATA SHEET

Stainless Steel Care Oil

Version 1.4

Revision Date 01.10.2014

Print Date 03.10.2014

AU / EN

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product information

Commercial Product Name : Stainless Steel Care Oil

Product code : 0893 121 0
SDS-Identcode : 10032966
Product Use Description : Care product
Company : Wurth Australia Pty Ltd
2/1 Healey Road
Dandenong South, Victoria, 3175
Australia

Telephone : +61 3 8788 1111
Responsible/issuing person : prodsafe@wuerth.com
Emergency telephone : 1300 657 765
number : Advisory office in case of poisoning - National Poisons Centre:
131 126

2. HAZARDS IDENTIFICATION

DANGEROUS GOODS. HAZARDOUS SUBSTANCE.
Dangerous goods classification according to the Australia Dangerous Goods Code.
Classified as hazardous according to the criteria of NOHSC.

Standard for the Uniform : No poison schedule number allocated
Scheduling of Medicines and
Poisons

R-phrases(s)

Extremely flammable.
Vapours may cause drowsiness and dizziness.

S-phrases(s)

Do not breathe spray.
This material and its container must be disposed of in a safe way.
Use only in well-ventilated areas.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : Mixture

Hazardous components

SAFETY DATA SHEET

Stainless Steel Care Oil

Version 1.4

Revision Date 01.10.2014

Print Date 03.10.2014

AU / EN

Chemical Name	CAS-No.	Concentration
distillates (petroleum), hydro-treated light	64742-47-8	>= 40 - < 45%
butane	106-97-8	>= 10 - < 12.5%
propane	74-98-6	>= 3 - < 5%

4. FIRST AID MEASURES

- General advice : If you feel unwell, seek medical advice (show the label where possible).
First aider needs to protect himself.
Move out of dangerous area.
Never give anything by mouth to an unconscious person.
Take off contaminated clothing and shoes immediately.
- If inhaled : If breathed in, move person into fresh air.
In the case of inhalation of aerosol/mist consult a physician if necessary.
Keep patient warm and at rest.
If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Do NOT use solvents or thinners.
If skin irritation persists, call a physician.
- In case of eye contact : Protect unharmed eye.
If easy to do, remove contact lens, if worn.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- If swallowed : If swallowed, seek medical advice immediately and show this container or label.
If swallowed, DO NOT induce vomiting.
If a person vomits when lying on his back, place him in the recovery position.

5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Carbon dioxide (CO₂)
Sand
Dry powder

SAFETY DATA SHEET**Stainless Steel Care Oil**

Version 1.4

Revision Date 01.10.2014

Print Date 03.10.2014

AU / EN

- Unsuitable extinguishing media : High volume water jet
Water
- Specific hazards during fire-fighting : Do not use a solid water stream as it may scatter and spread fire.
Exposure to decomposition products may be a hazard to health.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.
- Further information : Standard procedure for chemical fires.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
In the event of fire and/or explosion do not breathe fumes.
Use water spray to cool unopened containers.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
If the temperature rises there is danger of the vessels bursting due to the high vapor pressure.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions : Refer to protective measures listed in sections 7 and 8.
Use personal protective equipment.
Remove all sources of ignition.
Avoid contact with skin and eyes.
Ensure adequate ventilation, especially in confined areas.
Immediately evacuate personnel to safe areas.
Avoid inhalation of vapour or mist.
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
- Environmental precautions : Do not flush into surface water or sanitary sewer system.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods for cleaning up : Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations.
Clean contaminated surface thoroughly.

SAFETY DATA SHEET**Stainless Steel Care Oil**

Version 1.4

Revision Date 01.10.2014

Print Date 03.10.2014

AU / EN

7. HANDLING AND STORAGE**Handling**

- Advice on safe handling : For personal protection see section 8.
Limit the stocks at work place.
Use only in well-ventilated areas.
Do not breathe vapours or spray mist.
Avoid contact with skin and eyes.
Do not spray on a naked flame or any incandescent material.
Prevent the creation of flammable or explosive concentrations of vapour in air and avoid vapour concentration higher than the occupational exposure limits.
Take precautionary measures against static discharges.
- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
Vapours are heavier than air and may spread along floors.
Vapours may form explosive mixtures with air.
Keep away from heat and sources of ignition.
Do not smoke.
No sparking tools should be used.
Electrical equipment should be protected to the appropriate standard.
- Dust explosion class : Not applicable

Storage

- Requirements for storage areas and containers : Store in original container.
BEWARE: Aerosol is pressurized. Keep away from heat. Keep away from direct sunlight. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects.
Keep containers tightly closed in a cool, well-ventilated place.
Please observe the storage instructions for aerosols!
- Further information on storage conditions : AS/NZS 3833 The storage and handling of mixed classes of Dangerous Goods in packages and intermediate bulk containers.
- Advice on common storage : Keep away from food, drink and animal feedingstuffs.
Do not store together with oxidizing and self-igniting products.
- Other data : No decomposition if stored and applied as directed.

SAFETY DATA SHEET**Stainless Steel Care Oil**

Version 1.4

Revision Date 01.10.2014

Print Date 03.10.2014

AU / EN

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

Components	CAS-No.	Value	Control parameters	Update	Basis
butane	106-97-8	TWA	800 ppm 1,900 mg/m ³	2012-05-04	AU OEL

Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003], as amended through August 2005

Biological occupational exposure limits

no biological limit allocated

Engineering measures

Provide sufficient air exchange and/or exhaust in work rooms.

Personal protective equipment

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Product contains low-boiling liquids. Respiratory protective equipment must be air supplied respirators.
Respirator with filter type A

Hand protection : butyl-rubber
Break through time: \geq 480 min
Glove thickness: 0.6 mm

: Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work.
For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer.

: Viton (R)
Break through time: \geq 480 min
Glove thickness: 0.6 mm

SAFETY DATA SHEET**Stainless Steel Care Oil**

Version 1.4

Revision Date 01.10.2014

Print Date 03.10.2014

AU / EN

Eye protection	: In case of splash hazard, please wear protective goggles.
Skin and body protection	: Flame retardant antistatic protective clothing. Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. General industrial hygiene practice. Do not inhale aerosol. Avoid contact with skin, eyes and clothing. When using do not eat, drink or smoke. Wash hands before breaks and at the end of workday. Follow the skin protection plan. Take off all contaminated clothing immediately. Wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES**Appearance**

Form	: aerosol
Colour	: in accordance with the product description
Odour	: characteristic
Odour Threshold	: No data available

Safety data

Flash point	: Not applicable
Ignition temperature	: 210 °C
Lower explosion limit	: 0 %(V)
Upper explosion limit	: 8.5 %(V)
Flammability	: Extremely flammable aerosol.
Auto-ignition temperature	: not auto-flammable
pH	: No data available
Melting point/range	: No data available
Boiling point/boiling range	: -44 °C

SAFETY DATA SHEET**Stainless Steel Care Oil**

Version 1.4

Revision Date 01.10.2014

Print Date 03.10.2014

AU / EN

Vapour pressure	: 2,100 hPa at 20 °C
Density	: 0.68 g/cm ³
Water solubility	: partly miscible
Partition coefficient: n- octanol/water	: No data available
Solubility in other solvents	: No data available
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Relative vapour density	: No data available
Evaporation rate	: No data available
Thermal decomposition	: No data available

10. STABILITY AND REACTIVITY

Conditions to avoid	: Heat, flames and sparks.
Materials to avoid	: No data available
Hazardous decomposition products	: Build-up of dangerous/toxic fumes possible in cases of fire/high temperature.
Hazardous reactions	: Vapours may form explosive mixtures with air. If the temperature rises there is danger of the vessels bursting due to the high vapor pressure.
Stability	: No decomposition if stored and applied as directed.

11. TOXICOLOGICAL INFORMATION**Acute toxicity**

Acute oral toxicity : No data available

Acute inhalation toxicity (Components)

butane : LC50: 1,237 mg/l
Exposure time: 2 h
Species: Mouse**Skin corrosion/irritation**

SAFETY DATA SHEET**Stainless Steel Care Oil**

Version 1.4

Revision Date 01.10.2014

Print Date 03.10.2014

AU / EN

Skin irritation : No data available

Serious eye damage/eye irritation

Eye irritation : No data available

Respiratory or skin sensitisation

Sensitisation : No data available

Chronic toxicity

Mutagenicity : No data available

Carcinogenicity : No data available

Teratogenicity : No data available

Reproductive toxicity : No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

butane : Species: Rat, male and female
Application Route: Inhalation
Dose: 0 - 9000 ppm
Exposure time: 28 d ()
NOEL: 21.394 mg/l 9000 ppm

Aspiration toxicity : No data available

Further information

: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.
Vapours may cause drowsiness and dizziness.

12. ECOLOGICAL INFORMATION**Elimination information (persistence and degradability)**

Bioaccumulation : No data available

Biodegradability : No data available

Mobility in soil : No data available

Further information on ecology**Ecotoxicology Assessment**

Results of PBT assessment : This substance/mixture contains no components considered

SAFETY DATA SHEET**Stainless Steel Care Oil**

Version 1.4

Revision Date 01.10.2014

Print Date 03.10.2014

AU / EN

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Additional ecological information : The product should not be allowed to enter drains, water courses or the soil.

13. DISPOSAL CONSIDERATIONS

Product : In accordance with local and national regulations., This material and its container must be disposed of in a safe way.

Disposal of contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not burn, or use a cutting torch on, the empty drum.
Please ensure aerosol cans are sprayed completely empty (including propellant)
Containers that have not been emptied in compliance with regulations are regarded as hazardous waste.
Dispose of as unused product.

14. TRANSPORT INFORMATION**ADG**

UN number : 1950
Description of the goods : AEROSOLS
Class : 2.1
Labels : 2.1
Hazchem Code : 2YE
Environmentally hazardous : no

**IATA**

UN number : 1950
Description of the goods : Aerosols, flammable
Class : 2.1

SAFETY DATA SHEET

Stainless Steel Care Oil

Version 1.4

Revision Date 01.10.2014

Print Date 03.10.2014

AU / EN

Labels	:	2.1
Packing instruction (cargo aircraft)	:	203
Packing instruction (passenger aircraft)	:	203
Packing instruction (passenger aircraft)	:	Y203
Environmentally hazardous	:	no

IMDG

UN number	:	1950
Description of the goods	:	AEROSOLS

Class	:	2.1
Packing group	:	--
Labels	:	2.1
EmSNumber 1	:	F-D
EmS Number 2	:	S-U

Marine pollutant	:	no
------------------	---	----

15. REGULATORY INFORMATION

Labelling according to EC Directives

1999/45/EC

R-phrases)	:	R12 R67	Extremely flammable. Vapours may cause drowsiness and dizziness.
------------	---	------------	---

S-phrases)	:	S23 S35 S51	Do not breathe spray. This material and its container must be disposed of in a safe way. Use only in well-ventilated areas.
------------	---	-----------------------	---

Special labelling of certain mixtures	:	Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material. Keep away from sources of ignition - No smoking. Keep out of the reach of children.
---------------------------------------	---	--

SAFETY DATA SHEET**Stainless Steel Care Oil**

Version 1.4

Revision Date 01.10.2014

Print Date 03.10.2014

AU / EN

National regulatory information

For detailed advice on Personal Protective equipment, refer to the following Australian Standards :- HB 9 (Handbook 9) Manual of industrial personal protection.
AS/NZS 1337 Eye protectors for industrial applications.
AS/NZS 1715 Selection, use and maintenance of respiratory protective devices.
AS/NZS 1716 Respiratory protective devices.
AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.
AS/NZS 2919: Industrial clothing.

Hazard category

Extremely flammable

National Code of Practice for the Preparation of Material Safety Data Sheets [NOHSC:2011]

List of Designated Hazardous Substances [NOHSC].

Approved Criteria for Classifying Hazardous Substances [NOHSC:1008].

Amendment to National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC](2005)

Australian Dangerous Goods Code.

Standard Uniform Scheduling of Drugs and Poisons.

Notification status

AICS : On the inventory, or in compliance with the inventory

16. OTHER INFORMATIONFull text of R-phrases referred to under sections 2 and 3

R12	Extremely flammable.
R67	Vapours may cause drowsiness and dizziness.

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

SAFETY DATA SHEET**Stainless Steel Care Oil**

Version 1.4

Revision Date 01.10.2014

Print Date 03.10.2014

AU / EN

End of Safety Data Sheet