

DECLARATION OF ASSURANCE FOR HAZARDOUS SUBSTANCE USE IN DEPARTMENT OF AGRICULTURE
EXPORT REGISTERED ESTABLISHMENTS

Vendor name: Wurth Australia Pty. Ltd.

Vendor Address: 2/1 Healey Road, Dandenong South, Vic.3175

Vendor telephone Number: 1300 657 765

Manufacturer of Hazardous Substance: Wurth Group

Name of Hazardous Substance: Stainless Steel Care Spray

Category of Use: Cleaning Compounds.

Intended Use: Cleaning emulsion for metallic surfaces. Removes dirt, polish marks and streaks as well as oily finger prints.

We, Wurth Australia, the vendor of the above hazardous substance declare the above hazardous substance is suitable for use in export registered meat or meat product establishments for the purposes stated in this application, that I have supplied a copy of the label and MSDS or SDS with this declaration and acknowledge that this declaration is subject to the following conditions:

This declaration is rendered invalid by:

1. Any change in the formulation of the following hazardous substance
2. Any change in the instructions for use in the following hazardous substance
3. Any incorrect and/or unintended use of the following hazardous substance.

Signature of vendor  Date. 13/7/15

Declaration of qualified chemist

The hazardous substance identified above, when used in accordance with the directions on the label:

- is fit for the purpose for which they are to be used
- will not contaminate animals, meat and meat products

Printed name of qualified chemist: Christiane Krabbes

Qualifications of qualified chemist: Sr. Manager Chemical Compliance

Signature of qualified chemist:  Date. 07/02/2015

STAINLESS STEEL CARE OIL



HACCP SSZ Certified:
PE-717-WA-01.

Quick and simple visual treatment of metallic surfaces.

Tested by the Fraunhofer Institute of Engineering and Packaging as safe to use in food production facilities as long as the product does not make direct contact with foodstuffs.

Quick and problem-free application.

- Removes light dirt, dust, streaks and greasy finger prints.
- Suitable for daily use.

Care and protection oil.

- Creates a surface with uniform shine.
- Water-repellent protective film prevents renewed accumulation of dirt.

Economical usage.

Cost efficient above all, if the product is used for daily cleaning.

AOX and silicone free.

Instructions for Use:

If necessary, remove coarse dirt with Powerful Stainless Steel Cleaner. Spray a thin coat onto dry surface, wipe off with a soft, dry cloth.

Do not rub dry.

Note:

Do not spray onto hot surfaces and do not use in direct sunlight. These instructions are only recommendations, which are based on our experience. We advise preliminary testing before use.

| Description | Contents | Art. No. | Pack Qty. |
|--------------------------|----------|-------------------|-----------|
| Stainless Steel Care Oil | 400ml | 0893 121 0 | 1 |

STAINLESS STEEL CARE SPRAY



HACCP SSZ Certified:
PE-717-WA-01.

Cleaning emulsion for metallic surfaces.

Approved by the Bavarian State Department Water Investigative Laboratory as safe to use in food production facilities as long as it doesn't make contact with foodstuffs.

Creamy emulsion with cleaning effect.

- Dirt, polish marks and streaks as well as oily finger prints are removed thoroughly.
- Application on vertical surfaces possible.

AOX and silicone free.

Instructions for Use:

Remove coarse dirt with Powerful Stainless Steel Cleaner. Spray a thin coat onto dry surface, polish with a soft cloth and wipe off thoroughly.

Note:

Do not spray onto hot surfaces and do not use in direct sunlight. These instructions are only recommendations, which are based on our experience. We advise preliminary testing before use.

| Description | Contents | Art. No. | Pack Qty. |
|----------------------------|----------|-----------------|-----------|
| Stainless Steel Care Spray | 400ml | 0893 121 | 1 |

SAFETY DATA SHEET

Stainless Steel Care Spray

Version 1.4

Revision Date 05.06.2012

Print Date 03.05.2014

AU / EN

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product information

Commercial Product Name : Stainless Steel Care Spray

Product code : 0893 121
MSDS-Identcode : 10032983
Product Use Description : Cleaning agent, Care product
Company : Wurth Australia Pty Ltd
2/1 Healey Road
Dandenong South, Victoria, 3175
Australia

Telephone : +61 3 8788 1111
Responsible/issuing person : prodsafe@wuerth.com
Emergency telephone : 1300 657 765
number : Advisory office in case of poisoning - National Poisons Centre:
131 126

2. HAZARDS IDENTIFICATION

DANGEROUS GOODS. HAZARDOUS SUBSTANCE.
Dangerous goods classification according to the Australia Dangerous Goods Code.
Classified as hazardous according to the criteria of NOHSC.

Standard for the Uniform : No poison schedule number allocated
Scheduling of Medicines and
Poisons

R-phrases(s)

Extremely flammable.

S-phrases(s)

Do not breathe spray.
Use only in well-ventilated areas.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : Mixture

Hazardous components

| Chemical Name | CAS-No. | Concentration |
|---------------|---------|---------------|
|---------------|---------|---------------|

SAFETY DATA SHEET**Stainless Steel Care Spray**

Version 1.4

Revision Date 05.06.2012

Print Date 03.05.2014

AU / EN

| | | |
|----------------|----------|----------------------|
| isobutane | 75-28-5 | $\geq 20 - < 25\%$ |
| propane | 74-98-6 | $\geq 2 - < 3\%$ |
| butane | 106-97-8 | $\geq 0.75 - < 1\%$ |
| 2-aminoethanol | 141-43-5 | $\geq 0.2 - < 0.5\%$ |

4. FIRST AID MEASURES

- General advice : If you feel unwell, seek medical advice (show the label where possible).
First aider needs to protect himself.
Move out of dangerous area.
Never give anything by mouth to an unconscious person.
Take off contaminated clothing and shoes immediately.
- If inhaled : If breathed in, move person into fresh air.
In the case of inhalation of aerosol/mist consult a physician if necessary.
Keep patient warm and at rest.
If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Do NOT use solvents or thinners.
If skin irritation persists, call a physician.
- In case of eye contact : Protect unharmed eye.
If easy to do, remove contact lens, if worn.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- If swallowed : If swallowed, seek medical advice immediately and show this container or label.
If swallowed, DO NOT induce vomiting.
If a person vomits when lying on his back, place him in the recovery position.
-

5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Dry powder
Foam
-

SAFETY DATA SHEET**Stainless Steel Care Spray**

Version 1.4

Revision Date 05.06.2012

Print Date 03.05.2014

AU / EN

Carbon dioxide (CO₂)
Water mist

- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Do not use a solid water stream as it may scatter and spread fire.
Exposure to decomposition products may be a hazard to health.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.
- Further information : Standard procedure for chemical fires.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
In the event of fire and/or explosion do not breathe fumes.
Use water spray to cool unopened containers.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
If the temperature rises there is danger of the vessels bursting due to the high vapor pressure.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions : Use personal protective equipment.
Remove all sources of ignition.
Avoid contact with skin and eyes.
Ensure adequate ventilation, especially in confined areas.
Immediately evacuate personnel to safe areas.
Avoid inhalation of vapour or mist.
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
- Environmental precautions : Do not flush into surface water or sanitary sewer system.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods for cleaning up : Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations.
Clean contaminated surface thoroughly.

SAFETY DATA SHEET**Stainless Steel Care Spray**

Version 1.4

Revision Date 05.06.2012

Print Date 03.05.2014

AU / EN

7. HANDLING AND STORAGE**Handling**

- Advice on safe handling : Limit the stocks at work place.
Use only in well-ventilated areas.
Do not breathe vapours or spray mist.
Avoid contact with skin and eyes.
Do not spray on a naked flame or any incandescent material.
Prevent the creation of flammable or explosive concentrations of vapour in air and avoid vapour concentration higher than the occupational exposure limits.
Take precautionary measures against static discharges.
- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
Vapours are heavier than air and may spread along floors.
Vapours may form explosive mixtures with air.
Keep away from heat and sources of ignition.
Do not smoke.
No sparking tools should be used.
Electrical equipment should be protected to the appropriate standard.
- Dust explosion class : not applicable

Storage

- Requirements for storage areas and containers : Store in original container.
BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects.
Keep containers tightly closed in a dry, cool and well-ventilated place.
Protect from frost, heat and sunlight.
Please observe the storage instructions for aerosols!
- Further information on storage conditions : AS/NZS 3833 The storage and handling of mixed classes of Dangerous Goods in packages and intermediate bulk containers.
- Advice on common storage : Keep away from food, drink and animal feedingstuffs.
Do not store together with oxidizing and self-igniting products.
- Materials to avoid : Avoid contact with other chemicals.

SAFETY DATA SHEET
Stainless Steel Care Spray

Version 1.4

Revision Date 05.06.2012

Print Date 03.05.2014

AU / EN

8. EXPOSURE CONTROLS/PERSONAL PROTECTION
Components with workplace control parameters

| Components | CAS-No. | Value | Control parameters | Update | Basis |
|---------------------|--|-------|------------------------------------|------------|--------|
| butane | 106-97-8 | TWA | 800 ppm 1,900 mg/m ³ | 2005-08-01 | AU OEL |
| Further information | : H: ACGIH is the documentation source | | | | |
| 2-aminoethanol | 141-43-5 | STEL | 6 ppm 15 mg/m ³ | 2005-08-01 | AU OEL |
| Further information | : H: ACGIH is the documentation source | | | | |
| | | TWA | 3 ppm 7.5 mg/m ³ | 2005-08-01 | AU OEL |
| Further information | : H: ACGIH is the documentation source | | | | |

Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003], as amended through August 2005

Biological occupational exposure limits

no biological limit allocated

Engineering measures

Provide sufficient air exchange and/or exhaust in work rooms.

Personal protective equipment

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.
Product contains low-boiling liquids. Respiratory protective equipment must be air supplied respirators.

Hand protection : Nitrile rubber
Break through time: 480 min

SAFETY DATA SHEET**Stainless Steel Care Spray**

Version 1.4

Revision Date 05.06.2012

Print Date 03.05.2014

AU / EN

| | |
|--------------------------|---|
| Eye protection | : Tightly fitting safety goggles |
| Skin and body protection | : Flame retardant antistatic protective clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place. |
| Hygiene measures | : Handle in accordance with good industrial hygiene and safety practice. General industrial hygiene practice. Do not inhale aerosol. Avoid contact with skin, eyes and clothing. When using do not eat, drink or smoke. Wash hands before breaks and at the end of workday. Follow the skin protection plan. Wash contaminated clothing before re-use. |

9. PHYSICAL AND CHEMICAL PROPERTIES**Appearance**

| | |
|-----------------|-----------------------|
| Form | : aerosol |
| Colour | : milky colourless |
| Odour | : aromatic |
| Odour Threshold | : no data available |

Safety data

| | |
|-----------------------------|---------------------------------------|
| Flash point | : no data available |
| Lower explosion limit | : 1 %(V) |
| Upper explosion limit | : 11.2 %(V) |
| Flammability | : no data available |
| Autoignition temperature | : no data available |
| pH | : not applicable |
| Melting point/range | : no data available |
| Boiling point/boiling range | : no data available |
| Vapour pressure | : no data available |
| Density | : 0.965 g/cm ³ at 20 °C |

SAFETY DATA SHEET**Stainless Steel Care Spray**

Version 1.4

Revision Date 05.06.2012

Print Date 03.05.2014

AU / EN

Active ingredient

| | |
|--|---------------------|
| Water solubility | : partly soluble |
| Partition coefficient: n-octanol/water | : no data available |
| Solubility in other solvents | : no data available |
| Viscosity, dynamic | : no data available |
| Viscosity, kinematic | : no data available |
| Relative vapour density | : no data available |
| Evaporation rate | : no data available |
| Thermal decomposition | : no data available |

10. STABILITY AND REACTIVITY

| | |
|----------------------------------|--|
| Conditions to avoid | : Heat, flames and sparks. |
| Materials to avoid | : Avoid contact with other chemicals. |
| Hazardous decomposition products | : Build-up of dangerous/toxic fumes possible in cases of fire/high temperature. |
| Hazardous reactions | : Vapours may form explosive mixtures with air. If the temperature rises there is danger of the vessels bursting due to the high vapor pressure. |
| Stability | : No decomposition if stored and applied as directed. |

11. TOXICOLOGICAL INFORMATION**Acute toxicity**

| | |
|--|--|
| Acute oral toxicity | : no data available |
| Acute oral toxicity (Components) | |
| 2-aminoethanol | : Acute toxicity estimate: 500 mg/kg Method: Expert judgement |
| Acute inhalation toxicity (Components) | |
| 2-aminoethanol | : Acute toxicity estimate: 11 mg/l Exposure time: 4,500 h Method: Expert judgement |

SAFETY DATA SHEET**Stainless Steel Care Spray**

Version 1.4

Revision Date 05.06.2012

Print Date 03.05.2014

AU / EN

Acute dermal toxicity (Components)

2-aminoethanol : Acute toxicity estimate: 1,100 mg/kg
Method: Expert judgement

Skin corrosion/irritation

Skin irritation : no data available

Skin irritation (Components)

2-aminoethanol : Result: Corrosive after 3 minutes to 1 hour of exposure

Serious eye damage/eye irritation

Eye irritation : May irritate eyes.

Respiratory or skin sensitization

Sensitisation : no data available

Chronic toxicity

Mutagenicity : no data available
Carcinogenicity : no data available
Teratogenicity : no data available
Reproductive toxicity : no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

Aspiration toxicity : no data available

12. ECOLOGICAL INFORMATION**Elimination information (persistence and degradability)**

Bioaccumulation : no data available
Biodegradability : no data available
Mobility in soil : no data available

Further information on ecology

Adsorbed organic bound halogens (AOX) : not included
Results of PBT assessment : no data available

SAFETY DATA SHEET**Stainless Steel Care Spray**

Version 1.4

Revision Date 05.06.2012

Print Date 03.05.2014

AU / EN

Additional ecological information : The product should not be allowed to enter drains, water courses or the soil.

: There is no data available for this product.

13. DISPOSAL CONSIDERATIONS

Product : In accordance with local and national regulations., This material and its container must be disposed of as hazardous waste.

Disposal of contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not burn, or use a cutting torch on, the empty drum.
Please ensure aerosol cans are sprayed completely empty (including propellant)
Containers that have not been emptied in compliance with regulations are regarded as hazardous waste.
Dispose of as unused product.

14. TRANSPORT INFORMATION**ADG**

UN number : 1950
Description of the goods : AEROSOLS
Class : 2.1
Labels : 2.1
Hazchem Code : 2YE
Environmentally hazardous : no

**IATA**

UN number : 1950
Description of the goods : Aerosols, flammable
Class : 2.1
Labels : 2.1

SAFETY DATA SHEET**Stainless Steel Care Spray**

Version 1.4

Revision Date 05.06.2012

Print Date 03.05.2014

AU / EN

Packing instruction (cargo aircraft) : 203
Packing instruction (passenger aircraft) : 203
Packing instruction (passenger aircraft) : Y203
Environmentally hazardous : no

IMDG

UN number : 1950
Description of the goods : AEROSOLS

Class : 2.1
Packing group : --
Labels : 2.1
EmS Number 1 : F-D
EmS Number 2 : S-U

Marine pollutant : no

15. REGULATORY INFORMATIONLabelling according to EC Directives**1999/45/EC**

R-phrases) : R12 Extremely flammable.

S-phrases) : S23 Do not breathe spray.
 : S51 Use only in well-ventilated areas.

Special labelling of certain mixtures : Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50 °C.
Keep away from sources of ignition - No smoking.
Keep out of the reach of children.
Do not pierce or burn, even after use.
Do not spray on a naked flame or any incandescent material.

National regulatory information

For detailed advice on Personal Protective equipment, refer to the following Australian Standards :- HB 9 (Handbook 9) Manual of industrial personal protection.

