



SYSTEM WORKSHOP TROLLEY

**#READY
FOR WORK**



STRICTLY LIMITED STOCK

EVERYTHING HAS ITS PLACE

Fully equipped trolley with a comprehensive 316 piece tool selection.

Comes with six complete tool trays designed especially for the trolley (see Shipment tab for full details).

- Combi Wrench Tray
- Striking Tool and Files Tray
- Pliers Tray
- Screwdrivers Tray
- 1/4 and 1/2 Sockets Tray
- 3/8 Sockets Tray

Trolley is easy to move.

- Sturdy side handle

Wide range of accessories.

- The workshop trolley can be adapted to the needs of the application in question using different accessories

Drawers with full extension, two-stage locking concept.

- Central locking with cylinder lock
- One-handed unlocking and individual drawer locks prevent drawers from accidentally opening

Comes fully equipped with system assortments - please view the Shipment tab for full details.

Contents

Designation	Art. No.	Qty.
System workshop trolley BASIC 8.4	0962 641 073	1
System assortment 8.4.1, combination wrench 36 pieces	0965 905 912	1
System assortment 8.4.1, circlip pliers 25 pieces	0965 905 917	1
System assortment 8.4.1, striking tool and files 24 pieces	0965 905 929	1
System assortment 8.4.1, screwdriver 21 pieces	0965 905 916	1
System assortment 8.4.1, socket wrench 3/8 inch 102 pcs	0965 905 921	1
System assortment 8.4.1, socket wrench 1/4 + 1/2 inch 108 pieces	0965 905 922	1

System Workshop Trolley 8.4, Equipped
Art. No. 0962 847 317

TECHNICAL DATA

Number of pieces in assortment/set	317 PCS
Width x depth x height (external dimension)	665 x 393 x 964 mm
Drawer design	5 drawers, W 466 x D 336 x H 69 mm, 2 drawers
Load capacity	250 kg
Colour	Traffic black RAL 9017
Colour of drawer	Black
Pullout type	Full extension, Ball-bearing
Number of rolls	4 PCS

**SCAN
HERE**
FOR FULL CONTENTS
ON THE WURTH APP



\$5,499.00
each excl. GST.

\$6,048.90 each incl. GST.



Compartmental trolley top.

Ergonomic handle.

7 Drawers with two stage locking concept.

All foam inserts are interchangeable with every drawer.

One-handed unlocking.

Supported by 4 rubber wheels with a brake lock.



Need to know:

- Central cylinder lock - Comes with 2 locking keys
- Two stage locking concept


THE WURTH APP

Pocket Size Power

- Technical information
- Mobile ordering
- SDS access

And more...

**#READY
FOR WORK**



**SCAN TO DOWNLOAD
THE WURTH APP TODAY!**

Download the Wurth app today to access premium functions and purchase products with ease.





DRAWER 1 INSERT

See next page for contents!

COMBINATION WRENCH - 36 PCS.

System Assortment 8.4.1

Art. No.	0965 905 912
P. Qty.	1
Number of pieces in assortment/set	36 PCS
Size foam section	8.4.1
Width x height x depth	462 x 38 x 335 mm
Decor	Carbon appearance

Compatible with all ORSY system products

Uniform grid dimensions

Attractive carbon finish

Insert made from high-quality plastic in attractive carbon finish for improved robustness, stability and easy cleaning

Find the correct tools quickly and easily

Tool sizes are marked on the insert.

Application area

Suitable for ORSY systems (e.g. system case, work-shop trolley, ORSY®BULL boxes, ORSY shelves)

ORSY®

Contents of Art. No. 0965 905 912

Designation	Art. no.	Qty.
Combination wrench, short type 6 mm	0713 301 06	1
Combination wrench, short type 7 mm	0713 301 07	1
Combination wrench, short type 8 mm	0713 301 08	1
Combination wrench, short type 9 mm	0713 301 09	1
Combination wrench, short type 10 mm	0713 301 10	1
Combination wrench, short type 11 mm	0713 301 11	1
Combination wrench, short type 12 mm	0713 301 12	1
Combination wrench, short type 13 mm	0713 301 13	1
Combination wrench, short type 14 mm	0713 301 14	1
Combination wrench, short type 15 mm	0713 301 15	1
Combination wrench, short type 16 mm	0713 301 16	1
Combination wrench, short type 17 mm	0713 301 17	1
Combination wrench, short type 18 mm	0713 301 18	1
Combination wrench, short type 19 mm	0713 301 19	1
Combination wrench, short type 20 mm	0713 301 20	1
Combination wrench, short type 21 mm	0713 301 21	1
Combination wrench, short type 22 mm	0713 301 22	1
Double open-end wrench 6 x 7 mm	0713 304 067	1
Double open-end wrench 8 x 9 mm	0713 304 089	1
Double open-end wrench 10 x 11 mm	0713 304 101	1
Double open-end wrench 12 x 13 mm	0713 304 123	1
Double open-end wrench 14 x 15 mm	0713 304 145	1
Double open-end wrench 16 x 17 mm	0713 304 167	1
Double open-end wrench 18 x 19 mm	0713 304 189	1
Double open-end wrench 20 x 22 mm	0713 304 202	1
Double open-end wrench 24 x 27 mm	0713 304 247	1
Double open-end wrench 30 x 32 mm	0713 304 302	1
Double ring wrench, deep offset 6 x 7 mm	0713 305 067	1
Double ring wrench, deep offset 8 x 9 mm	0713 305 089	1
Double ring wrench, deep offset 10 x 11 mm	0713 305 101	1
Double ring wrench, deep offset 12 x 13 mm	0713 305 123	1
Double ring wrench, deep offset 14 x 15 mm	0713 305 145	1
Double ring wrench, deep offset 16 x 17 mm	0713 305 167	1
Double ring wrench, deep offset 18 x 19 mm	0713 305 189	1
Double ring wrench, deep offset 20 x 22 mm	0713 305 202	1
Open double ring box wrench 11 mm	0714 230 11	1
System insert 8.4.1, combination wrench		1





DRAWER 2 INSERT

See next page for contents!

CIRCLIP PLIERS - 25 PCS.

System Assortment 8.4.1

Art. No.	0965 905 917
P. Qty.	1
Number of pieces in assortment/set	25 PCS
Size foam section	8.4.1
Width x height x depth	462 x 38 x 335 mm
Decor	Carbon appearance

ORSY®

Compatible with all products from the

ORSY systems

Uniform grid dimensions

Attractive carbon finish

Insert made from high-quality plastic in attractive carbon finish for improved robustness, stability and easy cleaning

Find the correct tools quickly and easily

Tool sizes are marked on the insert.

Application area

Suitable for ORSY systems (e.g. system case, workshop trolley, ORSY@BULL boxes, ORSY shelves)

Contents of Art. No. 0965 905 917

Designation	Art. no.	Qty.
Heavy-duty side cutters DIN ISO 5749	0714 01 552	1
Combination pliers DIN ISO 5746	0714 01 555	1
Snipe nose pliers DIN ISO 5745	0714 01 557	1
Water pump pliers DIN ISO 8976	0714 01 563	1
Circlip pliers, shape A for shaft circlips 19-60 mm	0714 02 13	1
Circlip pliers, shape B for shaft circlips 19-60 mm	0714 02 18	1
Circlip pliers, shape C For bore circlips 19-60 mm	0714 02 03	1
Circlip pliers, shape D for bore circlips 19-60 mm	0714 02 08	1
Allen key TX9	0715 36 09	1
Allen key TX10	0715 36 10	1
Allen key TX15	0715 36 15	1
Allen key TX20	0715 36 20	1
Allen key TX25	0715 36 25	1
Allen key TX27	0715 36 27	1
Allen key TX30	0715 36 30	1
Allen key TX40	0715 36 40	1
Allen key, hexagon socket with ball head Extra-long design 1.5 mm	0715 40 015	1
Allen key, hexagon socket with ball head Extra-long design 2 mm	0715 40 02	1
Allen key, hexagon socket with ball head Extra-long design 2.5 mm	0715 40 025	1
Allen key, hexagon socket with ball head Extra-long design 3 mm	0715 40 03	1
Allen key, hexagon socket with ball head Extra-long design 4 mm	0715 40 04	1
Allen key, hexagon socket with ball head Extra-long design 5 mm	0715 40 05	1
Allen key, hexagon socket with ball head Extra-long design 6 mm	0715 40 06	1
Allen key, hexagon socket with ball head Extra-long design 8 mm	0715 40 08	1
Allen key, hexagon socket with ball head Extra-long design 10 mm	0715 40 10	1
System insert 8.4.1, circlip pliers		1





DRAWER 3 INSERT

See next page for contents!

STRIKING TOOL AND FILES - 24 PCS.

System Assortment 8.4.1

Art. No.	0965 905 929
P. Qty.	1
Number of pieces in assortment/set	24 PCS
Size foam section	8.4.1
Width x height x depth	462 x 38 x 335 mm
Decor	Carbon appearance

Compatible with all products of the ORSY system world

Uniform grid dimensions

Attractive carbon finish

Insert made from high-quality plastic in attractive carbon finish for improved robustness, stability and easy cleaning

Find the correct tools quickly and easily

Tool sizes marked on insert.

Application area

Suitable for the ORSY system world (e.g. system case, workshop trolley, ORSY@BULL boxes, ORSY shelves)

ORSY®

Contents of Art. No. 0965 905 929

Designation	Art. no.	Qty.
Seal scraper	0714 34 51	1
Flat blunt-ended file DIN 7261, shape A	0714 61 06	1
Half-round file DIN 7261, shape E	0714 61 38	1
Round file DIN 7261, shape F	0714 61 50	1
File handle	0714 61 622	3
Brake calliper file		1
Flat chisel In line with DIN 6453 150 mm	0714 63 02	1
Flat chisel In line with DIN 6453 175 mm	0714 63 03	1
Cross cut chisel In line with DIN 6451 150 mm	0714 63 08	1
Centre punch In accordance with DIN 7250 with hardened impact head	0714 63 15	1
Drift punch According to DIN 6458 Width of tip 2 mm	0714 63 18	1
Drift punch According to DIN 6458 Width of tip 4 mm	0714 63 20	1
Pin punch In accordance with DIN 6450 form C with hardened impact head Width of tip 2 mm	0714 63 25	1
Pin punch In accordance with DIN 6450 form C with hardened impact head Width of tip 3 mm	0714 63 27	1
Pin punch In accordance with DIN 6450 form C with hardened impact head Width of tip 4 mm	0714 63 28	1
Pin punch In accordance with DIN 6450 form C with hardened impact head Width of tip 5 mm	0714 63 29	1
Pin punch In accordance with DIN 6450 form C with hardened impact head Width of tip 6 mm	0714 63 30	1
Pin punch In accordance with DIN 6450 form C with hardened impact head Width of tip 8 mm	0714 63 31	1
Scriber With coded steel handle and screwed in straight and curved steel needle	0714 70 10	1
Simplex soft face hammer With steel housing	0715 72 10	1
Machinist's hammer German design in accordance with DIN 1041 200 g	0715 731 20	1
Machinist's hammer German design in accordance with DIN 1041 500 g	0715 731 50	1
System insert 8.4.1, striking tool and files		1





DRAWER 4 INSERT

See next page for contents!

SCREWDRIVER - 21 PCS.

System Assortment 8.4.1

Art. No.	0965 905 916
P. Qty.	1
Number of pieces in assortment/set	21 PCS
Size foam section	8.4.1
Width x height x depth	462 x 38 x 335 mm
Decor	Carbon appearance

Compatible with all ORSY system products

Uniform grid dimensions

Attractive carbon finish

Insert made from high-quality plastic in attractive carbon finish for improved robustness, stability and easy cleaning

Find the correct tools quickly and easily

Tool sizes marked on insert.

Application area


Suitable for ORSY systems (e.g. system case, workshop trolley, ORSY@BULL boxes, ORSY shelves)

ORSY®

Contents of Art. No. 0965 905 916

Designation	Art. no.	Qty.
Slotted bit 0.5 x 3.0 mm	0614 175 650	1
Slotted bit 0.6 x 4.5 mm	0614 175 652	1
Slotted bit 0.8 x 5.5 mm	0614 175 653	1
Slotted bit 1.0 x 6.0 mm	0614 175 654	1
Slotted bit 1.2 x 6.5 mm	0614 175 655	1
Slotted bit 1.2 x 8.0 mm	0614 175 656	1
C 6.3 PH bit (1/4 inch) With colour coding PH1	0614 176 274	6
C 6.3 PH bit (1/4 inch) With colour coding PH2	0614 176 461	6
C 6.3 PH bit (1/4 inch) With colour coding PH3	0614 176 648	6
Hexagon socket bit 3 mm	0614 176 93	1
Hexagon socket bit 4 mm	0614 176 94	2
Hexagon socket bit 5 mm	0614 176 95	2
Hexagon socket bit 6 mm	0614 176 96	1
C 6.3 TX bit (1/4 inch) C 6.3 (1/4 inch) TX10	0614 311 0	1
C 6.3 TX bit (1/4 inch) C 6.3 (1/4 inch) TX15	0614 311 5	1
C 6.3 TX bit (1/4 inch) C 6.3 (1/4 inch) TX20	0614 312 0	1
C 6.3 TX bit (1/4 inch) C 6.3 (1/4 inch) TX25	0614 312 5	1
C 6.3 TX bit (1/4 inch) C 6.3 (1/4 inch) TX30	0614 313 0	1
C 6.3 TX bit (1/4 inch) C 6.3 (1/4 inch) TX40	0614 314 0	1
Reversible ratchet 3/8 inch With turntable switching	0712 038 0	1
3/8-inch jointed-head ratchet	0715 12 140	1
3/8" cardan joint insert short 10 mm	0713 121 10	1
3/8" cardan joint insert short 11 mm	0713 121 11	1
3/8" cardan joint insert short 12 mm	0713 121 12	1
3/8" cardan joint insert short 13 mm	0713 121 13	1
3/8" cardan joint insert short 14 mm	0713 121 14	1
3/8" cardan joint insert short 15 mm	0713 121 15	1
3/8 inch socket wrench insert metric, hexagon, short 8 mm; For outer hexagon	0713 121 108	1
3/8 inch socket wrench insert metric, hexagon, short 9 mm; For outer hexagon	0713 121 109	1
3/8 inch socket wrench insert metric, hexagon, short 10 mm; For outer hexagon	0713 121 110	1
3/8 inch socket wrench insert metric, hexagon, short 11 mm; For outer hexagon	0713 121 111	1
3/8 inch socket wrench insert metric, hexagon, short 12 mm; For outer hexagon	0713 121 112	1





DRAWER 5 INSERT

See next page for contents!

SOCKET WRENCH 3/8" - 102 PCS.

System Assortment 8.4.1

Art. No.	0965 905 921
P. Qty.	1
Number of pieces in assortment/set	102 PCS
Size foam section	8.4.1
Width x height x depth	462 x 38 x 335 mm
Decor	Carbon appearance

ORSY®

Compatible with all ORSY system products

Uniform grid dimensions

Attractive carbon finish

Insert made from high-quality plastic in attractive carbon finish for improved robustness, stability and easy cleaning

Find the correct tools quickly and easily

Tool sizes are marked on the insert.

Application area

Suitable for ORSY systems (e.g. system case, workshop trolley, ORSY®BULL boxes, ORSY shelves)

Contents of Art. No. 0965 905 921

Designation	Art. no.	Qty.
Slotted bit 0.5 x 3.0 mm	0614 175 650	1
Slotted bit 0.6 x 4.5 mm	0614 175 652	1
Slotted bit 0.8 x 5.5 mm	0614 175 653	1
Slotted bit 1.0 x 6.0 mm	0614 175 654	1
Slotted bit 1.2 x 6.5 mm	0614 175 655	1
Slotted bit 1.2 x 8.0 mm	0614 175 656	1
C 6.3 PH bit (1/4 inch) With colour coding PH1	0614 176 274	6
C 6.3 PH bit (1/4 inch) With colour coding PH2	0614 176 461	6
C 6.3 PH bit (1/4 inch) With colour coding PH3	0614 176 648	6
Hexagon socket bit 3 mm	0614 176 93	1
Hexagon socket bit 4 mm	0614 176 94	2
Hexagon socket bit 5 mm	0614 176 95	2
Hexagon socket bit 6 mm	0614 176 96	1
C 6.3 TX bit (1/4 inch) C 6.3 (1/4 inch) TX10	0614 311 0	1
C 6.3 TX bit (1/4 inch) C 6.3 (1/4 inch) TX15	0614 311 5	1
C 6.3 TX bit (1/4 inch) C 6.3 (1/4 inch) TX20	0614 312 0	1
C 6.3 TX bit (1/4 inch) C 6.3 (1/4 inch) TX25	0614 312 5	1
C 6.3 TX bit (1/4 inch) C 6.3 (1/4 inch) TX30	0614 313 0	1
C 6.3 TX bit (1/4 inch) C 6.3 (1/4 inch) TX40	0614 314 0	1
Reversible ratchet 3/8 inch With turntable switching	0712 038 0	1
3/8-inch jointed-head ratchet	0715 12 140	1
3/8" cardan joint insert short 10 mm	0713 121 10	1
3/8" cardan joint insert short 11 mm	0713 121 11	1
3/8" cardan joint insert short 12 mm	0713 121 12	1
3/8" cardan joint insert short 13 mm	0713 121 13	1
3/8" cardan joint insert short 14 mm	0713 121 14	1
3/8" cardan joint insert short 15 mm	0713 121 15	1
3/8 inch socket wrench insert metric, hexagon, short 8 mm; For outer hexagon	0713 121 108	1
3/8 inch socket wrench insert metric, hexagon, short 9 mm; For outer hexagon	0713 121 109	1
3/8 inch socket wrench insert metric, hexagon, short 10 mm; For outer hexagon	0713 121 110	1
3/8 inch socket wrench insert metric, hexagon, short 11 mm; For outer hexagon	0713 121 111	1
3/8 inch socket wrench insert metric, hexagon, short 12 mm; For outer hexagon	0713 121 112	1
3/8 inch socket wrench insert metric, hexagon, short 13 mm; For outer hexagon	0713 121 113	1
3/8 inch socket wrench insert metric, hexagon, short 14 mm; For outer hexagon	0713 121 114	1
3/8 inch socket wrench insert metric, hexagon, short 15 mm; For outer hexagon	0713 121 115	1
3/8 inch socket wrench insert metric, hexagon, short 16 mm; For outer hexagon	0713 121 116	1
3/8 inch socket wrench insert metric, hexagon, short 17 mm; For outer hexagon	0713 121 117	1
3/8 inch socket wrench insert metric, hexagon, short 18 mm; For outer hexagon	0713 121 118	1
3/8 inch socket wrench insert metric, hexagon, short 19 mm; For outer hexagon	0713 121 119	1
3/8 inch socket wrench insert metric, hexagon, short 21 mm; For outer hexagon	0713 121 121	1
3/8 inch socket wrench insert metric, hexagon, short 22 mm; For outer hexagon	0713 121 122	1
3/8-inch socket wrench insert, metric long 8 mm	0713 122 108	1
3/8-inch socket wrench insert, metric long 9 mm	0713 122 109	1
3/8-inch socket wrench insert, metric long 10 mm	0713 122 110	1

Designation	Art. no.	Qty.
3/8-inch socket wrench insert, metric long 11 mm	0713 122 111	1
3/8-inch socket wrench insert, metric long 12 mm	0713 122 112	1
3/8-inch socket wrench insert, metric long 13 mm	0713 122 113	1
3/8-inch socket wrench insert, metric long 14 mm	0713 122 114	1
3/8-inch socket wrench insert, metric long 15 mm	0713 122 115	1
3/8-inch socket wrench insert, metric long 16 mm	0713 122 116	1
3/8-inch socket wrench insert, metric long 17 mm	0713 122 117	1
3/8-inch socket wrench insert, metric long 18 mm	0713 122 118	1
3/8-inch socket wrench insert, metric long 19 mm	0713 122 119	1
3/8-inch socket wrench insert, metric long 21 mm	0713 122 121	1
3/8 inch extension 75 mm	0713 128 103	1
3/8 inch extension 125 mm	0713 128 105	1
3/8 inch extension 250 mm	0713 128 110	1
3/8 inch cardan joint With a braked joint to fix the specified position	0713 128 301	1
3/8" connector 1/4 inch	0713 128 401	1
3/8" connector 1/2 inch	0713 128 402	1
3/8-inch adapter With quick-change chuck 1/4 inch	0715 12 01	1
3/8" socket wrench insert For external TX screws, short E5	0715 122 05	1
3/8" socket wrench insert For external TX screws, short E6	0715 122 06	1
3/8" socket wrench insert For external TX screws, short E7	0715 122 07	1
3/8" socket wrench insert For external TX screws, short E8	0715 122 08	1
3/8" socket wrench insert For external TX screws, short E10	0715 122 10	1
3/8" socket wrench insert For external TX screws, short E11	0715 122 11	1
3/8" socket wrench insert For external TX screws, short E12	0715 122 12	1
3/8" socket wrench insert For external TX screws, short E14	0715 122 14	1
3/8-inch socket wrench For TX screws, short TX15	0715 123 15	1
3/8-inch socket wrench For TX screws, short TX20	0715 123 20	1
3/8-inch socket wrench For TX screws, short TX25	0715 123 25	1
3/8-inch socket wrench For TX screws, short TX27	0715 123 27	1
3/8-inch socket wrench For TX screws, short TX30	0715 123 30	1
3/8-inch socket wrench For TX screws, short TX40	0715 123 40	1
3/8-inch socket wrench For TX screws, short TX45	0715 123 45	1
3/8-inch socket wrench For TX screws, short TX50	0715 123 50	1
3/8" socket wrench insert metric, hexagon, short 3 mm; For hexagon socket	0715 127 03	1
3/8" socket wrench insert metric, hexagon, short 4 mm; For hexagon socket	0715 127 04	1
3/8" socket wrench insert metric, hexagon, short 5 mm; For hexagon socket	0715 127 05	1
3/8" socket wrench insert metric, hexagon, short 6 mm; For hexagon socket	0715 127 06	1
3/8" socket wrench insert metric, hexagon, short 7 mm; For hexagon socket	0715 127 07	1
3/8" socket wrench insert metric, hexagon, short 8 mm; For hexagon socket	0715 127 08	1
3/8" socket wrench insert metric, hexagon, short 9 mm; For hexagon socket	0715 127 09	1
3/8" socket wrench insert metric, hexagon, short 10 mm; For hexagon socket	0715 127 10	1
System insert 8.4.1, socket wrench 3/8 inch		1



DRAWER 6 INSERT

See next page for contents!

SOCKET WRENCH 1/4" + 1/2"

- 108 PCS.

System Assortment 8.4.1

Art. No.	0965 905 922
P. Qty.	1
Number of pieces in assortment/set	108 PCS
Size foam section	8.4.1
Width x height x depth	462 x 38 x 335 mm
Decor	Carbon appearance

ORSY®

Compatible with all ORSY system products
Uniform grid dimensions

Attractive carbon finish

Insert made from high-quality plastic in attractive carbon finish for improved robustness, stability and easy cleaning

Find the correct tools quickly and easily
Tool sizes are marked on the insert.

Application area

Suitable for ORSY systems (e.g. system case, workshop trolley, ORSY®BULL boxes, ORSY shelves)

Contents of Art. No. 0965 905 922

Designation	Art. no.	Qty.
1/4 inch screwdriver With continuous shank Blade length 110 mm	0613 430 310	1
1/2 inch ratchet With turntable switching	0712 012 0	1
1/4 inch ratchet With turntable switching	0712 014 0	1
1/2-inch T-handle	0712 130 201	1
1/2 inch socket wrench insert metric, hexagon, short 10 mm; Length 36 mm	0712 131 110	1
1/2 inch socket wrench insert metric, hexagon, short 11 mm; Length 36 mm	0712 131 111	1
1/2 inch socket wrench insert metric, hexagon, short 12 mm; Length 36 mm	0712 131 112	1
1/2 inch socket wrench insert metric, hexagon, short 13 mm; Length 36 mm	0712 131 113	1
1/2 inch socket wrench insert metric, hexagon, short 14 mm; Length 36 mm	0712 131 114	1
1/2 inch socket wrench insert metric, hexagon, short 15 mm; Length 36 mm	0712 131 115	1
1/2 inch socket wrench insert metric, hexagon, short 16 mm; Length 36 mm	0712 131 116	1
1/2 inch socket wrench insert metric, hexagon, short 17 mm; Length 36 mm	0712 131 117	1
1/2 inch socket wrench insert metric, hexagon, short 18 mm; Length 36 mm	0712 131 118	1
1/2 inch socket wrench insert metric, hexagon, short 19 mm; Length 36 mm	0712 131 119	1
1/2 inch socket wrench insert metric, hexagon, short 20 mm; Length 36 mm	0712 131 120	1
1/2 inch socket wrench insert metric, hexagon, short 21 mm; Length 38 mm	0712 131 121	1
1/2 inch socket wrench insert metric, hexagon, short 22 mm; Length 38 mm	0712 131 122	1
1/2 inch socket wrench insert metric, hexagon, short 24 mm; Length 38 mm	0712 131 124	1
1/2 inch socket wrench insert metric, hexagon, short 26 mm; Length 38 mm	0712 131 126	1
1/2 inch socket wrench insert metric, hexagon, short 27 mm; Length 44 mm	0712 131 127	1
1/2 inch socket wrench insert metric, hexagon, short 28 mm; Length 44 mm	0712 131 128	1
1/2 inch socket wrench insert metric, hexagon, short 30 mm; Length 44 mm	0712 131 130	1
1/2 inch socket wrench insert metric, hexagon, short 32 mm; Length 44 mm	0712 131 132	1
1/2 inch extension Length 125 mm	0712 138 105	1
1/2 inch extension Length 250 mm	0712 138 110	1
1/2 inch cardan joint With a braked joint to fix the specified position	0712 138 301	1
1/4" T-handle	0713 110 201	1
1/4 inch socket wrench insert, metric short 5 mm; Length 22 mm	0713 111 105	1
1/4 inch socket wrench insert, metric short 5.5 mm; Length 22 mm	0713 111 155	1
1/4 inch socket wrench insert, metric short 6 mm; Length 22 mm	0713 111 106	1
1/4 inch socket wrench insert, metric short 7 mm; Length 22 mm	0713 111 107	1
1/4 inch socket wrench insert, metric short 8 mm; Length 22 mm	0713 111 108	1
1/4 inch socket wrench insert, metric short 9 mm; Length 22 mm	0713 111 109	1
1/4 inch socket wrench insert, metric short 10 mm; Length 22 mm	0713 111 110	1
1/4 inch socket wrench insert, metric short 11 mm; Length 22 mm	0713 111 111	1

Designation	Art. no.	Qty.
1/4 inch socket wrench insert, metric short 12 mm; Length 22 mm	0713 111 112	1
1/4 inch socket wrench insert, metric short 13 mm; Length 22 mm	0713 111 113	1
1/4 inch socket wrench insert, metric short 14 mm; Length 22 mm	0713 111 114	1
1/4" socket wrench insert metric, long 1/4 inch; Length 50 mm	0713 112 106	1
1/4" socket wrench insert metric, long 7 mm; Length 50 mm	0713 112 107	1
1/4" socket wrench insert metric, long 8 mm; Length 50 mm	0713 112 108	1
1/4" socket wrench insert metric, long 9 mm; Length 50 mm	0713 112 109	1
1/4" socket wrench insert metric, long 10 mm; Length 50 mm	0713 112 110	1
1/4" socket wrench insert metric, long 11 mm; Length 50 mm	0713 112 111	1
1/4" socket wrench insert metric, long 12 mm; Length 50 mm	0713 112 112	1
1/4" socket wrench insert metric, long 13 mm; Length 50 mm	0713 112 113	1
1/4" socket wrench insert metric, long 14 mm; Length 50 mm	0713 112 114	1
1/4 inch extension 100 mm	0713 118 104	1
1/4 inch extension 250 mm	0713 118 110	1
1/4-inch cardan joint With a braked joint to fix the specified position Tip type Outer square	0713 118 301	1
1/4" connector	0713 118 401	1
1/4 inch bit adapter With quick-change chuck Length 30 mm	0715 11 01	1
1/4-inch socket wrench insert, TX head For external TX screws E4; Length 22 mm	0715 112 04	1
1/4-inch socket wrench insert, TX head For external TX screws E5; Length 22 mm	0715 112 05	1
1/4-inch socket wrench insert, TX head For external TX screws E6; Length 22 mm	0715 112 06	1
1/4-inch socket wrench insert, TX head For external TX screws E7; Length 22 mm	0715 112 07	1
1/4-inch socket wrench insert, TX head For external TX screws E8; Length 22 mm	0715 112 08	1
1/4-inch socket wrench insert, TX head For external TX screws E10; Length 22 mm	0715 112 10	1
1/4-inch socket wrench insert, TX head For external TX screws E11; Length 22 mm	0715 112 11	1
1/4-inch socket wrench insert For TX screws TX8; Length 32 mm	0715 113 08	1
1/4-inch socket wrench insert For TX screws TX9; Length 32 mm	0715 113 09	1
1/4-inch socket wrench insert For TX screws TX10; Length 32 mm	0715 113 10	1
1/4-inch socket wrench insert For TX screws TX15; Length 32 mm	0715 113 15	1
1/4-inch socket wrench insert For TX screws TX20; Length 32 mm	0715 113 20	1
1/4-inch socket wrench insert For TX screws TX25; Length 32 mm	0715 113 25	1
1/4-inch socket wrench insert For TX screws TX30; Length 32 mm	0715 113 30	1
1/4-inch socket wrench insert For TX screws TX40; Length 32 mm	0715 113 40	1
1/4-inch angled extension	0715 11 40	1
1/4" socket wrench insert For hexagon socket, metric 3 mm; Length 32 mm	0715 115 03	1

Contents of Art. No. 0965 905 922

Designation	Art. no.	Qty.
1/4" socket wrench insert For hexagon socket, metric 4 mm; Length 32 mm	0715 115 04	1
1/4" socket wrench insert For hexagon socket, metric 5 mm; Length 32 mm	0715 115 05	1
1/4" socket wrench insert For hexagon socket, metric 6 mm; Length 32 mm	0715 115 06	1
1/4" socket wrench insert For hexagon socket, metric 8 mm; Length 32 mm	0715 115 08	1
1/4" socket wrench insert slotted 0.6 x 3.5 mm; Length 32 mm	0715 117 35	1
1/4" socket wrench insert slotted 1.0 x 5.5 mm; Length 32 mm	0715 117 55	1
1/4" socket wrench insert slotted 1.2 x 6.5 mm; Length 32 mm	0715 117 65	1
1/4" socket wrench insert slotted 1.2 x 8.0 mm; Length 32 mm	0715 117 80	1
1/4" socket wrench insert PH PH1; Length 32 mm	0715 118 01	1
1/4" socket wrench insert PH PH2; Length 32 mm	0715 118 02	1
1/4" socket wrench insert PH PH3; Length 32 mm	0715 118 03	1
1/2-inch socket wrench insert, TX head For external TX screws, short E10; Length 40 mm	0715 132 10	1
1/2-inch socket wrench insert, TX head For external TX screws, short E11; Length 40 mm	0715 132 11	1
1/2-inch socket wrench insert, TX head For external TX screws, short E12; Length 40 mm	0715 132 12	1
1/2-inch socket wrench insert, TX head For external TX screws, short E14; Length 40 mm	0715 132 14	1
1/2-inch socket wrench insert, TX head For external TX screws, short E16; Length 40 mm	0715 132 16	1
1/2-inch socket wrench insert, TX head For external TX screws, short E18; Length 40 mm	0715 132 18	1
1/2-inch socket wrench insert, TX head For external TX screws, short E20; Length 40 mm	0715 132 20	1
1/2-inch socket wrench insert, TX head For external TX screws, short E24; Length 40 mm	0715 132 24	1
1/2" socket wrench insert For TX screws, short TX20; Length 60 mm	0715 133 20	1
1/2" socket wrench insert For TX screws, short TX25; Length 60 mm	0715 133 25	1
1/2" socket wrench insert For TX screws, short TX27; Length 60 mm	0715 133 27	1
1/2" socket wrench insert For TX screws, short TX30; Length 60 mm	0715 133 30	1
1/2" socket wrench insert For TX screws, short TX40; Length 60 mm	0715 133 40	1

Designation	Art. no.	Qty.
1/2" socket wrench insert For TX screws, short TX45; Length 60 mm	0715 133 45	1
1/2" socket wrench insert For TX screws, short TX50; Length 60 mm	0715 133 50	1
1/2" socket wrench insert For TX screws, short TX55; Length 60 mm	0715 133 55	1
1/2" socket wrench insert For TX screws, short TX60; Length 60 mm	0715 133 60	1
1/2 inch socket wrench insert, metric 4 mm; Length 60 mm	0715 137 040	1
1/2 inch socket wrench insert, metric 5 mm; Length 60 mm	0715 137 051	1
1/2 inch socket wrench insert, metric 6 mm; Length 60 mm	0715 137 060	1
1/2 inch socket wrench insert, metric 7 mm; Length 60 mm	0715 137 07	1
1/2 inch socket wrench insert, metric 8 mm; Length 60 mm	0715 137 080	1
1/2 inch socket wrench insert, metric 9 mm; Length 60 mm	0715 137 09	1
1/2 inch socket wrench insert, metric 10 mm; Length 60 mm	0715 137 100	1
1/2 inch socket wrench insert, metric 12 mm; Length 60 mm	0715 137 120	1
1/2 inch socket wrench insert, metric 14 mm; Length 60 mm	0715 137 14	1
1/2 inch socket wrench insert, metric 17 mm; Length 60 mm	0715 137 17	1
1/2 inch socket wrench insert, metric 19 mm; Length 60 mm	0715 137 19	1
System insert 8.4.1, socket wrench 1/4 + 1/2 inch		1



E-SHOP

For Your Convenience
Imagine your very own Wurth Sales
Representative 24/7!

The E-Shop allows you to create a simple user
account to purchase Wurth products – 24/7.

Access advanced buying and cost management
tools to suit your business as well as tailored
pricing agreements.

Visit eshop.wurth.com.au to sign up today!

**#READY
FOR WORK**



**OVER 20,000
PRODUCTS**

E-SHOP

www.wurth.com.au



LIMITED STOCK AVAILABLE



Comes with six complete tool trays designed especially for the trolley

- Combi Wrench Tray
- Striking Tool and Files Tray
- Pliers Tray
- Screwdrivers Tray
- 1/4 and 1/2 Sockets Tray
- 3/8 Sockets Tray

Art. No. 0962 847 317

**COMPREHENSIVE
316 PIECE
TOOL SELECTION**

\$5,499.00
each excl. GST.

\$6,048.90 each incl. GST.

**SCAN
HERE**
FOR FULL CONTENTS
ON THE WÜRTH APP





**#READY
FOR WORK**

SYSTEM WORKSHOP TROLLEY

Wurth Australia Pty. Ltd. Head Office

Building 5, 43 - 63 Princes Highway,

Dandenong South, VIC. 3175

T: 1300 65 77 65 (Local Call)

Info@wurth.com.au

F: 1800 03 23 96

www.wurth.com.au



System Workshop Trolley - November 2023. Photographs are for illustrative purposes only and may not represent actual products. We reserve the right to correct printing errors. Wurth is a registered trademark of Wurth International AG. ABN 48 002 487 096. All information, images and content is copyright of Wurth Australia Pty. Ltd.

